

STC™

SUSPENSIONS



www.STSUSPENSIONS.com



THE SCIENCE OF SUSPENSION:

The insights and German engineering that go into shaping each ST component are centered around achieving a telepathic bond between man and machine.

A balance of exceptional strength and performance for vehicles with precision handling and control for drivers.

Respected in the industry for our solid design, ST Suspensions offer the versatility to adapt to both the street or the meanest of tracks.

It is the result of our rigorous testing and detail that ensures all levels of performance are met, and expectations for a superior driving experience are well surpassed.

Experience the evolution of a new standard for performance suspensions both on the road and behind the wheel.

TABLE OF CONTENTS

ST PRODUCT FEATURES	2
ST COILOVERS	3
SPORT SPRINGS	3
SPORT SHOCKS	4
SPORT SUSPENSION KITS	4
ANTI-SWAY BARS	4
ST PRO ALIGN KIT	5-6



COMPOSITE SPRING CAP

- LIGHT WEIGHT POLYAMIDE CONSTRUCTION
- NOISE-ABSORBING COMPOSITE MATERIAL
- CORROSION RESISTANT

HELPER SPRING

- WOUND FROM LOW PROFILE WIRE
- PRE-LOADS MAIN SPRING TO PREVENT UNNECESSARY NOISE AND MOVEMENT

HARDENED CHROMED PISTON ROD

COMPRESSION BUMPSTOP

- INTEGRATED DUST BOOT PROTECTS PISTON AND INTERNAL VALVE COMPONENTS FROM CONTAMINATES
- ELASTOMER SYNTHETICS FOR RIDE COMFORT
- RESILIENT FOR LONG TERM DURABILITY

HIGH-STRENGTH SPRINGS

- RACE STYLE SPRING FOR LIGHTER WEIGHT AND MINIMIZED COIL-BINDING
- MULTI-LEVEL TEMPERING PROCESS FOR LONG TERM DURABILITY

COMPOSITE SPRING SEAT

- CORROSION RESISTANT POLYAMIDE CONSTRUCTION WITH STEEL INSERT FOR HIGH STRENGTH

TRAPEZOIDAL THREAD

- DIRT RESISTANT TO ENSURE EASY ADJUSTMENT WITH SPRING PRELOAD

ZINC PLATED STRUT HOUSING

- COATED FOR CORROSION RESISTANCE AND LONG TERM DURABILITY





ST COILOVER KITS

The ultimate in performance, style and handling, ST height adjustable Coilover kits are precision engineered and road and track tested to the highest standards of the German TÜV. Our threaded shock bodies allow you to customize vehicle ride height to the maximum, without compromising safety, functionality or superior driving performance.

- Matched damper and spring rates
- Corrosion resistant Zinc plated threaded strut housing
- Height adjustable on all 4 corners
- Integrated rising rate elastomeric bump stop
- Self centering dust boot for insured durability

SPORT SPRINGS

Both our Sporttech and Speedtech lines of springs are available in an extensive range of applications precision engineered for optimal performance and comfort. ST Sport Springs lower the center of gravity to reduce body roll in corners and limit weight transfer under acceleration. Manufactured to the highest worldwide quality standards, each spring is custom wound from high-tensile steel and rigorously tested and inspected to ensure absolute strength and reliability.



SPORT SHOCKS

Using stock shocks with lowering springs can result in a harsh ride, bottoming out and premature shock wear. ST Suspension Sport Shocks are specifically designed for use with lowering springs and feature advanced valve tuning to reduced shock travel for optimal performance while still maintaining exceptional ride comfort.

SPORT SUSPENSION KITS

Take the guess work out of suspension tuning with ST Sport Suspension kits. Each is professionally designed to meet the demands of the serious enthusiast. Choose from either our Sporttech or Speedtech springs mated with perfectly matched ST Sport Shocks and you have the complete package for improving the handling, grip and performance of your vehicle.



ANTI-SWAY BARS

Reduce vehicle body roll and increase the traction and gripping power of your tires with a set of ST Anti-Sway Bars. Precision engineered to provide the best performance possible, our cold formed solid steel design is powder coated for durability and come complete with polyurethane bushings and all hardware needed for easy installation.



ST PRO ALIGN KIT APPLICATIONS

Getting the most from your vehicle's performance suspension relies on a properly optimized wheel alignment. Our ProAlign kit provides everything required to align your lowered vehicle with the accuracy of a race car. In fact, many professional race teams use both our ProAlign and Toe-Adjust to achieve the best alignment obtainable.

PRODUCT FEATURES INCLUDE:

BALLJOINT



- Adjustable ProAlign™ Ball Joint that provides up to 3 degrees of camber and 1 degree of caster

CAMBER SHIMS



- ProAlign™ Rear Camber Shims for additional camber under extreme street and track conditions

CAM BOLTS



- ProAlign™ Cam-Bolts that allow you to make full camber adjustments with the simple turn of a bolt

CAMBER KIT



- ProAlign™ Rear Camber Kit that provides superior alignment to ensure even wear of tires and a smoother ride

TOE ADJUSTERS



- ProAlign™ Rear Toe-Adjusters for a wide range of adjustments on most popular import vehicles

PRODUCT APPLICATION GUIDE

TABLE OF CONTENTS

ST COILOVERS	1 - 24
SPORTTECH LOWERING SPRINGS/KITS	1 - 24
SPEEDTECH LOWERING SPRINGS/KITS	1 - 24
ANTI-SWAY BARS	1 - 24
SPORT SHOCKS	25 - 30
ST PRO ALIGN	25 - 31
ST COMPETITION	31
MUSCLE CAR	32
PIVOT BUSHINGS + ENDLINKS ASSEMBLY	32
ST FOOTNOTES	33 - 34
MUSCLE CAR FOOTNOTES	34
PRO ALIGN FOOTNOTES	34
WARRANTY	35





Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs +Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Acura											
CL Model	2.2 / 2.3 (4cyl.)	97-99				60250	1.0" / 25mm	1.0" / 25mm			
	3.0 (8cyl.)	97-99				60257	1.0" / 25mm	1.0" / 25mm			
	3.2 (8cyl.)	02-03				60251	1.0" / 40mm	1.0" / 40mm			
TL Model	2.5 (5cyl.)	95-98				60250	1.0" / 25mm	1.0" / 25mm			
	3.2 (8cyl.)	99-03				60251	1.0" / 40mm	1.0" / 40mm			
RL Model	3.5 (V6)	96-03									
Integra 2dr. / 4dr.	1.8 (4cyl.)	86-88									
	1.7+1.8 (4cyl.)	90-93				60275	1.0" / 25mm	1.0" / 25mm			
	1.8 (4cyl.)	94-01	90504	1.2"-2.0" / 30-70mm	1.2"-2.0" / 30-50 mm	4,24,112	60282	1.4" / 35mm	1.4" / 35mm	65707	1.2" / 30mm
Type-R	1.8 (4cyl.)	97-01	90506	1.2"-2.0" / 30-70mm	1.2"-2.0" / 30-50 mm						
Legend Coupe/Sedan	3.2L (V6)	91-95				60235	1.4" / 35mm	1.4" / 35mm			
RSX	2.0 (4cyl.)	02-08				60286	1.4" / 35mm	1.4" / 35mm			
TSX	2.4 (4cyl.)	04-08				60288	1.0" / 40mm	1.0" / 40mm			
TSX	2.4(4cyl.)+3.5(V6)	09+				60281	1.2" / 30mm	1.2" / 30mm			
Vigor	2.5 (5cyl.)	92-94				60250	1.0" / 40mm	1.0" / 40mm			
Audi											
A3 (8P) ZWD	2.0+2.0TDI (4cyl.)	06+	90873	1.4"-2.0" / 35-65mm	1.4"-2.0" / 35-65mm	4,71	60169	1.4" / 35mm	1.4" / 35mm		4,99
	2.0T (4cyl.)	06+					60162	1.2" / 30mm	1.2" / 30mm		
	A3 (8P) Quattro	3.2 (V6)	06+	90600	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	6,71				
A4 (8D/8S) Sedan ZWD VIN# up to 80X199999	1.8T (4cyl.)	96-97	90601	1.0"-2.0" / 40-70mm	1.0"-2.0" / 40-70mm	4, 28, 112	60161	1.2" / 30mm	1.2" / 30mm	80020	2.4,28,57,87,112
	2.8 (V6)	96-97					60165	1.2" / 30mm	1.2" / 30mm	80023	2.4,28,112,159
	1.8T (4cyl.)	98-01					60161	1.2" / 30mm	1.2" / 30mm	80021	2.4,28,57,87,112
A4 (8D/8S) Sedan ZWD VIN# from 80X200000 up	2.8 (V6)	98-01	90602	1.0"-2.0" / 40-70mm	1.0"-2.0" / 40-70mm	4, 28, 112	60165	1.2" / 30mm	1.2" / 30mm	80024	2.4,28,112,159
A4 (8D/8S) Wagon ZWD	2.8 (V6)	1998	90602	1.0"-2.0" / 40-70mm	1.0"-2.0" / 40-70mm	4, 28, 112	60122	1.2" / 30mm	1.2" / 30mm	80037	4,28,112,159
A4 (8D/8S) Quattro Sedan+Wagon	1.8T (4cyl.)	96-01	90603	1.0"-2.0" / 40-70mm	1.0"-2.0" / 40-70mm	112,164	60141	1.2" / 30mm	1.2" / 30mm	80039	
	2.8 (V6)	96-01					60143	1.2" / 30mm	1.2" / 30mm	80040	
S4 (8D/8S) Sedan	2.7 Biturbo	00-01	90603	1.0"-2.0" / 40-70mm	1.0"-2.0" / 40-70mm	112,164	60165	1.2" / 30mm	1.2" / 30mm		
	S4 (8D/8S) Wagon	2.7 Biturbo	00-01	90603	1.0"-2.0" / 40-70mm	1.0"-2.0" / 40-70mm	112,164	60167	1.2" / 30mm	1.2" / 30mm	
A4 (8E/86-87) Sedan ZWD	1.8T+2.0 (4cyl.)	01-08	90604	1.4"-2.4" / 35-60mm	1.4"-2.0" / 35-65mm	4,11	60109	1.0" / 25mm	1.0" / 25mm	80028	4,11
	2.8+3.2 (V6)	01-08					60115	1.2" / 30mm	1.2" / 30mm	80032	4,11
	1.8T+2.0T (4cyl.)	01-08	90605	1.4"-2.4" / 35-60mm	1.4"-2.0" / 35-65mm	11,164	60129	1.4" / 35mm	1.4" / 35mm	80062	170
A4 (8E/86-87) Sedan Quattro	2.8+3.2 (V6)	01-08					60132	1.4" / 35mm	1.4" / 35mm	80047	170
A4 (8E/86-87) Wagon Quattro	1.8T+2.0T (4cyl.)	01-08	90606	1.4"-2.4" / 35-60mm	1.4"-2.0" / 35-65mm	11,164	60139	1.4" / 35mm	1.4" / 35mm	80065	170
	2.8+3.2 (V6)	01-08					60138	1.4" / 35mm	1.4" / 35mm	80063	170
A4 (8H/86-87) Convertible	1.8T+2.0T (4cyl.)	03-08	90605	1.4"-2.4" / 35-60mm	1.4"-2.0" / 35-65mm	4,11	60135	1.0" / 25mm	1.0" / 25mm	80050	4
	3.0 (V6)	03-08					60138	1.2" / 30mm	1.2" / 30mm	80063	4
	1.0"-2.0" / 25-55mm										
A4 (8B) Sedan ZWD	2.0 (4cyl.)-3.2 (V6)	08+	90607	1.0"-2.0" / 25-55mm	1.0"-2.0" / 25-50mm	4,11					
A4 (8B) Sedan 4WD	2.0 (4cyl.)-3.2 (V6)	08+	90607	1.0"-2.0" / 25-55mm	1.0"-2.0" / 25-50mm	4,11					
A4 (8B) Wagon 4WD	2.0 (4cyl.)-3.2 (V6)	08+	90618	1.0"-2.0" / 25-55mm	1.0"-2.0" / 25-50mm	11,188					
S4 (8B) Sedan	3.0 (V6) excl. leveling control	2010+	90607	0.6"-1.6" / 15-45mm	0.6"-1.6" / 15"-40mm	11					
A5 (8B) Coupe 4WD	2.0 (4cyl.) excl. Multitronic	08+	90607	1.0"-2.0" / 25-55mm	1.0"-2.0" / 25-50mm	11					
A5 (8B) Coupe 4WD	3.2 (V6) excl. Multitronic	08+	90607	1.0"-2.0" / 25-55mm	1.0"-2.0" / 25-50mm	11					
A5 (8B) Convertible ZWD	2.0 (4cyl.)	08+	90607	1.0"-2.0" / 25-55mm	1.0"-2.0" / 25-50mm	11					
A5 (8B) Convertible 4WD	2.0 (4cyl.)	08+	90607	1.0"-2.0" / 25-55mm	1.0"-2.0" / 25-50mm	11					
S5 (8B) Coupe	4.2 (V8)	08+	90607	0.6"-1.6" / 20-40mm	0.4"-1.6" / 10-40mm	11					
S5 (8B) Convertible	3.2 (V6)	2010+	90607	0.6"-1.6" / 15-45mm	0.6"-1.6" / 15"-40mm	11					
A6 (4B/C5) Wagon ZWD	2.8+3.0 (V6)	97-04	90011	1.0"-2.0" / 40-70mm	1.0"-2.0" / 40-70mm	4,112	60154	1.4" / 35mm	1.4" / 35mm	80080	4,11,57,99,112
							60147	1.4" / 35mm	1.4" / 35mm	80078	4,11,89,99,112

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes	
			Drop				Front	Rear	Set		
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.
Acura											
CL Model	2.2 / 2.3 (4cyl.)	97-99	63010	2.0" / 50mm	2.0" / 50mm						
	3.0 (8cyl.)	97-99	63018	2.3" / 60mm	2.0" / 50mm						
	3.2 (8cyl.)	02-03				50137	7/8" / 22mm	51137	3/4" / 19mm	52137	
TL Model	2.5 (5cyl.)	95-98	63010	2.0" / 50mm	2.0" / 50mm						
	3.2 (8cyl.)	99-03				50137	7/8" / 22mm	51137	3/4" / 19mm	52137	
RL Model	3.5 (V6)	96-03						51130	13/16" / 21mm		
Integra 2dr. / 4dr.	1.8 (4cyl.)	86-88									
	1.7+1.8 (4cyl.)	90-93	63020	2.0" / 50mm	1.8" / 45mm			50140	3/8" / 16mm	51115	3/4" / 19mm
	1.8 (4cyl.)	94-01	63027	2.3" / 60mm	2.0" / 50mm			50157	1" / 25mm	51145	3/4" / 19mm
Type-R	1.8 (4cyl.)	97-01									
Legend Coupe/Sedan	3.2L (V6)	91-95									
RSX	2.0 (4cyl.)	02-08	63028	1.0" / 40mm	1.0" / 45mm			50156	1" / 25mm	51156	3/4" / 19mm
TSX	2.4 (4cyl.)	04-08	63018	2.0" / 60mm	2.0" / 60mm					51137	3/4" / 19mm
TSX	2.4(4cyl.)+3.5(V6)	09+								51138	3/4" / 19mm
Vigor	2.5 (5cyl.)	92-94	63010	2.0" / 50mm	2.0" / 50mm						
Audi											
A3 (8P) ZWD	2.0+2.0TDI (4cyl.)	06+									
	2.0T (4cyl.)	06+									
	A3 (8P) Quattro	3.2 (V6)	06+								
A4 (8D/8S) Sedan ZWD VIN# up to 80X199999	1.8T (4cyl.)	96-97	63100	2.2" / 55mm	1.2" / 30mm	83000	2.4,28,57,87,112				
	2.8 (V6)	96-97	63103	2.2" / 55mm	1.2" / 30mm	83003	2.4,28,112,159				
	1.8T (4cyl.)	98-01	63100	2.2" / 55mm	1.2" / 30mm	83001	2.4,28,57,87,112				
A4 (8D/8S) Sedan ZWD VIN# from 80X200000 up	2.8 (V6)	98-01	63103	2.2" / 55mm	1.2" / 30mm	83006	2.4,28,112,159				
A4 (8D/8S) Wagon ZWD	2.8 (V6)	1998	63138	2.2" / 55mm	1.2" / 30mm	83028	4,28,112,159				
A4 (8D/8S) Quattro Sedan+Wagon	1.8T (4cyl.)	96-01	63178	1.0" / 45mm	1.4" / 35mm	83029					
	2.8 (V6)	96-01	63181	1.0" / 45mm	1.4" / 35mm	83031					
S4 (8D/8S) Sedan	2.7 Biturbo	00-01									
S4 (8D/8S) Wagon	2.7 Biturbo	00-01									
A4 (8E/86-87) Sedan ZWD	1.8T+2.0 (4cyl.)	01-08	63109	1.8" / 45mm	1.0" / 25mm	83000	4,11				
	2.8+3.2 (V6)	01-08	63124	2.0" / 50mm	1.2" / 30mm	83012					
	1.8T+2.0T (4cyl.)	01-08	63130	2.0" / 50mm	2.0" / 50mm	83021				83024	4,11
A4 (8E/86-87) Sedan Quattro	1.8T+2.0T (4cyl.)	01-08									
A4 (8E/86-87) Wagon Quattro	1.8T+2.0T (4cyl.)	01-08									
A4 (8H/86-87) Convertible	1.8T+2.0T (4cyl.)	03-08	63166	1.8" / 45mm	1.0" / 25mm	83051	4				
	3.0 (V6)	03-08	63172	2.0" / 50mm	1.2" / 30mm	83054					
	1.0"-2.0" / 25-55mm		63173	2.0" / 50mm	2.0" / 50mm	83055	4				
A4 (8B) Sedan ZWD	2.0 (4cyl.)-3.2 (V6)	08+									
A4 (8B) Sedan 4WD	2.0 (4cyl.)-3.2 (V6)	08+									
A4 (8B) Wagon 4WD	2.0 (4cyl.)-3.2 (V6)	08+									
S4 (8B) Sedan	3.0 (V6) excl. leveling control	2010+									
A5 (8B) Coupe 4WD	2.0 (4cyl.) excl. Multitronic	08+									
A5 (8B) Coupe 4WD	3.2 (V6) excl. Multitronic	08+									
A5 (8B) Convertible ZWD	2.0 (4cyl.)	08+									
A5 (8B) Convertible 4WD	2.0 (4cyl.)	08+									
S5 (8B) Coupe	4.2 (V8)	08+									
S5 (8B) Convertible	3.2 (V6)	2010+									
A6 (4B/C5) Wagon ZWD	2.8+3.0 (V6)	97-04									



ST COILOVER KITS



SPORT SPRINGS

ANTI-SWAY BARS



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs +Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Audi Continued											
A6 (4B/C5) Sedan Quattro	2.7+2.8+3.0 (V6)	97-04	90026	1.6"-3.0" / 40-75mm	1.6"-3.0" / 40-75mm	11	65152 65146	1.4" / 35mm 1.4" / 35mm	1.4" / 35mm 1.4" / 35mm	80074 80073	11,67,85,112 11,65,95,112
A6 (4B/C5) Wagon Quattro	2.8+3.0 (V6)	97-04	90026	1.6"-3.0" / 40-75mm	1.6"-3.0" / 40-75mm	11	65152 65146	1.4" / 35mm 1.4" / 35mm	1.4" / 35mm 1.4" / 35mm	80074 80073	11,67,85,112 11,65,95,112
S6 (4B/C5) Wagon	4.2 (V8)	02-03	90026	1.6"-3.0" / 40-75mm	1.6"-3.0" / 40-75mm	11					
A6 (4F/C6) Sedan 2WD	3.2 (V6)	05+	90019	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm	6,11	65169	1.2" / 30mm	1.2" / 30mm		11,99
A6 (4F/C6) Sedan Quattro	3.0-3.2 (V6)	05+	90019	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm	6,11	65170	1.2" / 30mm	1.2" / 30mm		11,99
A6 (4F/C6) Sedan Quattro	4.2 (V8)	05+	90019	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm	6,11	65171	1.2" / 30mm	1.2" / 30mm		11,99
A6 (4F/C6) Wagon Quattro	3.0-3.2 (V6)	06+	90020	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm	6,11	65170	1.2" / 30mm	1.2" / 30mm		11,99
A6 (D2-4D) Sedan 2WD+Quattro	3.7+4.2(V8)	97-02	90074	1.2"-2.4" / 30-60mm	1.2"-1.8" / 30-45mm	11,40					
S6 (D2-4D)	4.2 (V8)	01-02	90074	1.2"-2.4" / 30-60mm	1.2"-1.8" / 30-45mm	11,40					
TT + TT Roadster (8N) 2WD	1.8T (4cyl)	00-06	90031	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	4,42,49,112	60205	1.2" / 30mm	1.2" / 30mm	80075	4,190
TT + TT Roadster (8N) Quattro	1.8T (4cyl)	00-06	90030	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	42,49,164	60276	1.0" / 25mm	0.8" / 20mm	80018	170
TT Coupe (8J) 2WD	2.0T (4cyl)	07+	90073	0.8"-2.0" / 20-50mm	0.8"-2.0" / 20-50mm	4,71					
TT Roadster (8J) 2WD	2.0T (4cyl)	07+	90073	0.8"-2.0" / 20-50mm	0.8"-2.0" / 20-50mm	4,71					
TT Coupe (8J) Quattro	3.2 (V6)	07+	90073	0.4"-1.4" / 10-35mm	0.4"-1.2" / 10-30mm	4,71					
TT Roadster (8J) Quattro	3.2 (V6)	07+	90073	0.4"-1.4" / 10-35mm	0.4"-1.2" / 10-30mm	4,71					
BMW											
02 Series 2002	2.0 (4cyl)	96-78					60015	0.5" / 13mm	0.5" / 13mm		
1 Series											
E82	128i+135i	08+	90239	1.4"-2.4" / 35-60mm	1.4"-2.4" / 35-60mm	4,42					
3 Series											
E21	320i (4cyl)	77-83					60020	1.0" / 25mm	1.0" / 25mm		
E30 Sedan+Coupe; Strut 1.8" / 45mm	318i (4cyl)	84-92					60025 65062	1.3" / 33mm 1.6" / 40mm	1.3" / 33mm 1.6" / 40mm	80103	174,4,5,44
E30 Sedan+Coupe; Strut 2.0" / 51mm	325i+325i(x)+325e(x) (6cyl)	84-92					60030 65010	1.3" / 33mm 1.6" / 40mm	1.3" / 33mm 1.6" / 40mm	80109	174,4,5,44
E30 Sedan+Coupe; Strut 2.0" / 51mm	318i (4cyl)	84-92					60025 65062	1.3" / 33mm 1.6" / 40mm	1.3" / 33mm 1.6" / 40mm	80107	174,4,5,45
E30 Sedan+Coupe; Strut 2.0" / 51mm	325i+325i(x)+325e(x) (6cyl)	84-92					60030 65010	1.3" / 33mm 1.6" / 40mm	1.3" / 33mm 1.6" / 40mm	80108	174,4,5,45
E30 Convertible; Strut 2.0" / 51mm	318i (4cyl)	87-94					60267	1.4" / 35mm	1.4" / 35mm	80100	5
E30 M3	2.3 (4cyl)	88-94					60270	1.4" / 35mm	1.4" / 35mm	80104	5
E30 M3	2.3 (4cyl)	88-91					60040	1.0" / 25mm	1.0" / 25mm		
E30 318is	1.8is (4cyl)	1991					60045	1.0" / 25mm	1.5" / 38mm		
E36 Sedan+Coupe	318i+318is (4cyl)	92-98	90211	1.6"-3.1" / 40-80mm	0.8"-2.0" / 20-50mm	4,42,49,112	65017 65218	1.2" / 30mm 1.6" / 40mm	0.8" / 15mm 1.6" / 40mm	80108 80115	5,56,70
E36 Sedan+Coupe	323i(x)+325i(x)+328i(x) (6cyl)	92-98					60244 60293	1.2" / 30mm 1.6" / 40mm	0.8" / 15mm 1.6" / 40mm	80121 80134	5,70
E36 Convertible	318i (4cyl)	94-98	90211	1.6"-3.1" / 40-80mm	0.8"-2.0" / 20-50mm	4,42,49,112	65073	1.2" / 30mm	0.8" / 15mm	80163	5,56,70
E36 Convertible	323i+325i+328i (6cyl)	94-98					65082	1.2" / 30mm	0.8" / 15mm	80139	5,70
E36 Compact	318i (4cyl)	96-99	90213	1.6"-3.1" / 40-80mm	0.8"-2.0" / 20-50mm	42,49,112	65283	1.4" / 35mm	1.4" / 35mm	80110	5,56,70
E36 M3	3.0+3.2 (6cyl)	96-99	90212	1.2"-2.4" / 30-60mm	0.8"-1.8" / 20-45mm	42					
E46 Sedan+Coupe	323i(x)+325i+328i(x)+330i (6cyl)	98-05	90222	1.2"-2.8" / 30-70mm	1.2"-2.0" / 30-50mm	4,42,49,112	65267	1.6" / 40mm	1.2" / 30mm	80151	5,139
E46 Convertible	323i+323iC+325iC+328i+330iC (6cyl)	99-05	90222	1.2"-2.8" / 30-70mm	1.2"-2.0" / 30-50mm	4,42,49,112	65281	1.6" / 40mm	1.2" / 30mm	80169	5
E46 Sport Wagon	323i+325i (6cyl)	00-05	90222	1.2"-2.8" / 30-70mm	1.2"-2.0" / 30-50mm	4,42,49,112	65281	1.6" / 40mm	1.2" / 30mm	80169	5,139
E46 Compact	318i (4cyl)	1999	90202	1.2"-2.4" / 30-60mm	1.2"-2.0" / 30-50mm	42,46,112	65291	1.4" / 35mm	1.4" / 35mm	80161	5,56
E46 M3 Coupe+Convertible	3.2 (6cyl)	01-05	90223	0.8"-1.8" / 20-40mm	0.8"-1.8" / 20-40mm						
E90 Sedan 2WD	325i+328i+330i+335i (6cyl)	05+	90232	1.2"-2.4" / 30-60mm	1.0"-2.2" / 25-55mm	4,42	65294	1.2" / 30mm	1.2" / 30mm		

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes			
			Drop				Front				Rear		
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Set Part #	
Audi Continued													
A6 (4B/C5) Sedan Quattro	2.7+2.8+3.0 (V6)	97-04											
A6 (4B/C5) Wagon Quattro	2.8+3.0 (V6)	97-04											
S6 (4B/C5) Wagon	4.2 (V8)	02-03											
A6 (4F/C6) Sedan 2WD	3.2 (V6)	05+											
A6 (4F/C6) Sedan Quattro	3.0-3.2 (V6)	05+											
A6 (4F/C6) Sedan Quattro	4.2 (V8)	05+											
A6 (4F/C6) Wagon Quattro	3.0-3.2 (V6)	06+											
A6 (D2-4D) Sedan 2WD+Quattro	3.7+4.2(V8)	97-02											
S6 (D2-4D)	4.2 (V8)	01-02											
TT + TT Roadster (8N) 2WD	1.8T (4cyl)	00-06	83187 83193	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83276 83279	4,156 4,156						
TT + TT Roadster (8N) Quattro	1.8T (4cyl)	00-06											
TT Coupe (8J) 2WD	2.0T (4cyl)	07+											
TT Roadster (8J) 2WD	2.0T (4cyl)	07+											
TT Coupe (8J) Quattro	3.2 (V6)	07+											
TT Roadster (8J) Quattro	3.2 (V6)	07+											
BMW													
02 Series 2002	2.0 (4cyl)	96-78					50000	7/8" / 22mm	51006	3/4" / 19mm	52000		
1 Series													
E82	128i+135i	08+											
3 Series													
E21	320i (4cyl)	77-83					50005	1" / 25mm	51005	3/4" / 19mm	52005		
E30 Sedan+Coupe; Strut 1.8" / 45mm	318i (4cyl)	84-92	63200 62003	2.4" / 60mm 2.4" / 60mm	1.8" / 40mm 2.4" / 60mm	83080 83083	1,4,5,44	50010	7/8" / 22mm	51010	3/4" / 19mm		
E30 Sedan+Coupe; Strut 2.0" / 51mm	325i+325i(x)+325e(x) (6cyl)	84-92	63206 63209	2.4" / 60mm 2.4" / 60mm	1.8" / 40mm 2.4" / 60mm	83086 83089	1,4,5,44	50010	7/8" / 22mm	51010	3/4" / 19mm		
E30 Sedan+Coupe; Strut 2.0" / 51mm	318i (4cyl)	84-92	63200 63203	2.4" / 60mm 2.4" / 60mm	1.8" / 40mm 2.4" / 60mm	83071 83072	1,4,5,45	50010	7/8" / 22mm	51010	3/4" / 19mm		
E30 Sedan+Coupe; Strut 2.0" / 51mm	325i+325i(x)+325e(x) (6cyl)	84-92	63206 63209	2.4" / 60mm 2.4" / 60mm	1.8" / 40mm 2.4" / 60mm	83073 83074	1,4,5,45	50010	7/8" / 22mm	51010	3/4" / 19mm		
E30 Convertible; Strut 2.0" / 51mm	318i (4cyl)	87-94	63224	2.2" / 55mm	1.4" / 35mm	83107	1,5	50010	7/8" / 22mm	51010	3/4" / 19mm		
E30 M3	2.3 (4cyl)	88-94	63227	2.2" / 55mm	1.4" / 35mm	83108	1,5	50010	7/8" / 22mm	51010	3/4" / 19mm		
E30 M3	2.3 (4cyl)	88-91						50010	7/8" / 22mm	51010	3/4" / 19mm		
E30 318is	1.8is (4cyl)	1991											
E36 Sedan+Coupe	318i+318is (4cyl)	92-98	63218	2.0" / 50mm	0.8" / 20mm	83096	5,70						
E36 Sedan+Coupe	323i(x)+325i(x)+328i(x) (6cyl)	92-98	63218	2.0" / 50mm	0.8" / 20mm	83096	5,70						
E36 Convertible	318i (4cyl)	94-98	63230	2.0" / 50mm	0.8" / 15mm	83110	5,56,70						
E36 Convertible	323i+325i+328i (6cyl)	94-98	63218	2.0" / 50mm	0.8" / 15mm	83096	5,70						
E36 Compact	318i (4cyl)	96-99	63233 63236	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83097 83096	5,56,70						
E36 M3	3.0+3.2 (6cyl)	96-99											
E46 Sedan+Coupe	323i(x)+325i+328i(x)+330i (6cyl)	98-05											
E46 Convertible	323i+323iC+325iC+328i+330iC (6cyl)	99-05											
E46 Sport Wagon	323i+325i (6cyl)	00-05											
E46 Compact	318i (4cyl)	1999	63231	2.0" / 50mm	1.4" / 35mm	83091	5,56						
E46 M3 Coupe+Convertible	3.2 (6cyl)	01-05											
E90 Sedan 2WD	325i+328i+330i+335i (6cyl)	05+											



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs +Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
BMW Continued											
E92 Coupe 2WD	328i+335i (fcoyl)	05+	90232	0.8"-1.6" / 20-45mm	0.8"-1.6" / 20-40mm	4,42	65294	1.2" / 30mm	1.2" / 30mm		
E91 Sports Wagon 2WD	328i+328i (fcoyl)	05+	90233	1.2"-2.4" / 30-50mm	0.8"-2.0" / 20-50mm	4,42					
E93 Convertible 2WD	328i+335i (fcoyl)	05+	90233	1.2"-2.4" / 30-60mm	0.8"-2.0" / 20-50mm	4,42					
5 Series E12	528i+530i(fcoyl)	75-81					60060	1.2" / 30mm	1.2" / 30mm		
E28	528e+533i+535i(a) (fcoyl)	82-88					60065	1.0" / 25mm	1.0" / 25mm		
E28 M5	3.5 (fcoyl)	1988					60070	1.0" / 25mm	1.0" / 25mm		
E34 has different shock absorber fasteners and Top Caps!											
E34 Sedan M14x1.5 Top Cap:40mm	520i+535i (fcoyl)	89-95					60075	1.0" / 25mm	1.0" / 25mm	80112	174,5,6A,11,16
E34 Sedan M14x1.5 Top Cap:50mm	520i+528e+535i(a) (fcoyl)	89-95					60075	1.0" / 25mm	1.0" / 25mm	80117	174,5,6A,11,16
	530i-540i (V8)	89-95					65327	1.4" / 35mm	1.4" / 35mm	80118	5,6a,11,16
E34 Sports Wagon M14x1.5 Top Cap:50mm	520i (fcoyl)	89-95					65399	1.4" / 35mm	1.4" / 35mm	80119	5,6a,11,29
	530i (V8)	89-95					65403	1.4" / 35mm	1.4" / 35mm	80120	5,6a,11,59
E34 Sedan without fact. sp.suspension	520i+528e+535i(a) (fcoyl)	89-95					60075	1.0" / 25mm	1.0" / 25mm		174,5,6A,11,16
	530i-540i (V8)	89-95					65327	1.4" / 35mm	1.4" / 35mm		5,6A,11,16
E39 Sedan without fact. sp.suspension kit	520i+528i+530i (fcoyl)	97-03					65368	1.8" / 40mm	0.8" / 20mm	80125	6,11,16,99
	540i (V8)	97-03	90609	1.4"-2.6" / 35-65mm	1.2"-2.4" / 30-60mm	11	65378	1.2" / 30mm	0.8" / 20mm	80127	6,11,16,99
E39 Sedan with fact. sp.suspension kit	520i+528i+530i (fcoyl)	97-03					65368	1.8" / 40mm	0.8" / 20mm	80126	6,11,59,99
	540i (V8)	97-03	90609	1.4"-2.6" / 35-65mm	1.2"-2.4" / 30-60mm	184	65378	1.2" / 30mm	0.8" / 20mm	80126	6,11,59,99
E39 Sports Wagon without fact. air suspension	520i+528i (fcoyl)	99-03					65412	1.8" / 40mm	1.0" / 25mm	80134	6,11,16,65,99
	540i (V8)	99-03	90200	1.4"-2.6" / 35-65mm	1.2"-2.4" / 30-60mm	11	65420	1.2" / 30mm	1.0" / 25mm	80136	6,11,16,65
E39 Sports Wagon with fact. air suspension	520i+528i (fcoyl)	99-03					65412	1.8" / 40mm	1.0" / 25mm	80134	6,11,16,65,99
	540i (V8)	99-03	90201	1.4"-2.6" / 35-65mm	1.2"-2.4" / 30-60mm	184,185	65420	1.2" / 30mm	1.0" / 25mm	80136	6,11,16,65
E39 M5	5.0 (V8)	00-03	90610	1.4"-2.6" / 35-65mm	0.8"-2.0" / 20-50mm						
E60 Sedan	520i+528i+530i+535i(fcoyl)	04-10					65396	1.2" / 30mm	1.2" / 30mm		4,11,85
	545i+550i (V8)	04-10	90203	1.0"-2.2" / 25-55mm	1.0"-2.2" / 25-55mm	11,42	65397	1.2" / 30mm	1.2" / 30mm		4,11,85
6 Series E24	630i+633 (fcoyl)	77-79					60060	1.0" / 25mm	1.0" / 25mm		
	630i+633 (fcoyl)	80-82					60065	1.0" / 25mm	1.0" / 25mm		
	633i+633 (fcoyl)	83-90					60070	1.0" / 25mm	1.0" / 25mm		
E24 M6	3.5 (fcoyl)	87-88					60070	1.0" / 25mm	1.0" / 25mm		
7 Series E32	730i(fcoyl)	86-92					65423	1.4" / 35mm	1.4" / 35mm		5,6A,11
E38	740i(V8)-750i(V12)	95-01	90215	1.0"-2.2" / 25-55mm	1.0"-2.6" / 25-65mm						
E65	745i-750i(V8)	02-08					65428	1.2" / 30mm	1.2" / 30mm		11,65
X Series X3	2.5i+3.0i (fcoyl)	04-10					65428	1.2" / 30mm	1.2" / 30mm		
Z Series Z3 Coupe+Roadster, non M	1.9 (4cyl)	96-02					65429	1.4" / 35mm	1.4" / 35mm	80157	6A
	2.8+3.0 (fcoyl)	96-02	90216	1.4"-2.4" / 35-60mm	1.2"-2.4" / 30-60mm	42,49	65430	1.6" / 40mm	1.6" / 40mm	80138	6A
Z3 M Coupe	3.2 (fcoyl)	99-02	90218	1.0"-2.0" / 25-50mm	1.0"-2.0" / 25-50mm						
Z3 M Roadster	3.2 (fcoyl)	98-02	90219	1.2"-2.4" / 30-60mm	0.8"-2.0" / 20-50mm						
Z4 (28i)	2.8i-3.0i (fcoyl)	03-08	90204	0.8"-2.0" / 20-50mm	0.6"-1.6" / 15-40mm	42	65432	0.8" / 20mm	0.8" / 20mm		
	M-Coupe	03-08				42					
Z4 (29i)	3.0i	09+	90206	0.6"-1.6" / 15-40mm	0.4"-1.4" / 10-35mm	192					
	3.5i+3.5ie	09+				192					

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes				
			Drop				Front				Rear			
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Set Part #		
BMW Continued														
E92 Coupe 2WD	328i+335i (fcoyl)	05+												
E91 Sports Wagon 2WD	328i+328i (fcoyl)	05+												
E93 Convertible 2WD	328i+335i (fcoyl)	05+												
5 Series E12	528i+530i(fcoyl)	75-81							90015	1.18" / 28mm	91015	7/8" / 22mm	52015	J,FR
E28	528e+533i+535i(a) (fcoyl)	82-88							90020	7/8" / 22mm	91020	5/8" / 16mm	52020	J,F
E28 M5	3.5 (fcoyl)	1988												
E34 has different shock absorber fasteners and Top Caps!														
E34 Sedan M14x1.5 Top Cap:40mm	520i+535i (fcoyl)	89-95												
E34 Sedan M14x1.5 Top Cap:80mm	520i+528e+535i(a) (fcoyl)	89-95												
	530i-540i (V8)	89-95							63254	2.2" / 55mm	1.4" / 35mm	83118		5,6a,11,16
E34 Sports Wagon M14x1.5 Top Cap:50mm	520i (fcoyl)	89-95												
	530i (V8)	89-95												
E34 Sedan without fact. sp.suspension	520i+528e+535i(a) (fcoyl)	89-95												
	530i-540i (V8)	89-95							63254	2.2" / 55mm	1.4" / 35mm			5,6a,11,16
E39 Sedan without fact. sp.suspension kit	520i+528i+530i (fcoyl)	97-03							63260	2.0" / 50mm	0.8" / 20mm	83099		6,11,16,99
	540i (V8)	97-03							63268	2.0" / 50mm	0.8" / 20mm	83100		6,11,16,99
E39 Sedan with fact. sp.suspension kit	520i+528i+530i (fcoyl)	97-03							63272	2.0" / 50mm	0.8" / 20mm	83102		6,11,59,99
	540i (V8)	97-03							63278	2.0" / 50mm	0.8" / 20mm	83110		6,11,59,99
E39 Sports Wagon without fact. air suspension	520i+528i (fcoyl)	99-03							63281	2.0" / 50mm	1.0" / 25mm	83128		6,11,16,65,99
	540i (V8)	99-03							63281	2.0" / 50mm	1.0" / 25mm	83130		6,11,16,65
E39 Sports Wagon with fact. air suspension	520i+528i (fcoyl)	99-03							63278	2.0" / 50mm	1.0" / 25mm	83128		6,11,16,65,99
	540i (V8)	99-03							63281	2.0" / 50mm	1.0" / 25mm	83130		6,11,16,65
E39 M5	5.0 (V8)	00-03												
E60 Sedan	520i+528i+530i+535i(fcoyl)	04-10												
	545i+550i (V8)	04-10												
6 Series E24	630i+633 (fcoyl)	77-79												
	630i+633 (fcoyl)	80-82												
	633i+633 (fcoyl)	83-90												
E24 M6	3.5 (fcoyl)	87-88												
7 Series E32	730i(fcoyl)	86-92												
E38	740i(V8)-750i(V12)	95-01												
E65	745i-750i(V8)	02-08												
X Series X3	2.5i+3.0i (fcoyl)	04-10												
Z Series Z3 Coupe+Roadster, non M	1.9 (4cyl)	96-02												
	2.8+3.0 (fcoyl)	96-02												
Z3 M Coupe	3.2 (fcoyl)	99-02												
Z3 M Roadster	3.2 (fcoyl)	98-02												
Z4 (28i)	2.8i-3.0i (fcoyl)	03-08												
	M-Coupe	03-08												
Z4 (29i)	3.0i	09+												
	3.5i+3.5ie	09+												



ST COILOVER KITS



SPORT SPRINGS

ANTI-SWAY BARS



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs + Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Buick											
Regal "Grand National"	V6-V8	82-87				60480	1.0" / 25mm	1.0" / 25mm		L	
Roadmaster Sedan	5.0+5.7(V8)	92-98				60505	2.0" / 50mm	2.0" / 50mm			
Roadmaster Wagon	5.0+5.7(V8)	91-96				60105	1.5" / 38mm	1.5" / 38mm			
Skyhawk	FWD	82-91				60485	1.0" / 25mm	1.0" / 25mm			
Cadillac											
CTS-V	6.0+8.2 (V8)	08+									
Chevrolet											
Beretta	4cyl+6cyl.exc.GTZ	87-95				60485	1.0" / 25mm	1.0" / 25mm			
Camaro 3rd gen.	V6	82-82				60115	1.0" / 25mm	1.0" / 25mm		L	
	V8	82-82				60110	1.0" / 25mm	1.0" / 25mm		L	
Camaro 4th gen.	V6	93-03				60117	1.4" / 35mm	1.4" / 35mm			
	V8	93-03				60120	1.4" / 35mm	1.4" / 35mm			
Camaro	V6+V8	2010+	90817	0.9"-1.8" / 20-45mm	0.8"-2.0" / 20-50mm	60122	1.4" / 35mm	1.4" / 35mm			
Caprice Sedan	V8	91-96				60505	2.0" / 50mm	2.0" / 50mm			
Caprice Wagon	V8	91-96				60105	1.5" / 38mm	1.5" / 38mm			
Cavalier/Corsica	2-24	87-94				60485	1.0" / 25mm	1.0" / 25mm			
Cavalier (non convertible)	2.2-2.4 (4cyl.)	95-05				60487	1.2" / 30mm	1.2" / 30mm		Y	
Chevelle/Malibu/Monte Carlo SS	V6	78-88				60486	1.0" / 25mm	1.0" / 25mm		L, 174	
	V8	78-88				60480	1.0" / 25mm	1.0" / 25mm		L	
Cobalt / SS	2.0-2.4 (4cyl.)	05-10				60488	1.5" / 38mm	1.5" / 38mm			
HHR	2.0-2.4 (4cyl.)	05-09				60488	1.5" / 38mm	1.5" / 38mm			
Impala SS	5.7 (V8)	94-98				60505	2.0" / 50mm	2.0" / 50mm			
Impala	3.4+3.8 (V6)	00-05									
Lumina/Monte Carlo	3.1+3.4+3.8 (V6)	95-01				60510	1.2" / 30mm	1.2" / 30mm			
Malibu	2.2 (4cyl.)+3.5+3.9 (V6)	04-07				60515	1.4" / 35mm	1.4" / 35mm			
Malibu Maxx	3.5+3.9 (V6)	04-07				60515	1.4" / 35mm	1.4" / 35mm			
Chrysler											
300C 2WD	2.7+3.5 (V6)	04-10				60503	1.4" / 35mm	1.4" / 35mm	60210		
	5.7 (V8)	04-10	90281	0.8"-2.0" / 20-50mm	1.0"-2.2" / 25-55mm	60504	1.4" / 35mm	1.4" / 35mm	60213		
	BRT 6.1 (V8)	04-10		0.8"-2.0" / 20-50mm	1.0"-2.2" / 25-55mm						
Cirrus	2.0+2.4(4cyl.)+2.5(V6)	95-00				60065	1.4" / 35mm	1.4" / 35mm			
Crossfire	3.2 (V6)	04-07				60962	1.2" / 30mm	1.2" / 30mm			
Crossfire Convertible	3.2 (V6)	05-07				60962	1.2" / 30mm	1.2" / 30mm			
PT Cruiser incl. Convertible	2.4 (4cyl.)	01-09	90272	1.2"-2.4" / 30-60mm	1.2"-2.0" / 30-50mm	49	60006	1.4" / 35mm	1.4" / 35mm		
Sebring non convertible	2.0+2.4 (4cyl.)+2.5 (V6)	95-00				60342	1.4" / 35mm	1.4" / 35mm		Y	
Sebring convertible	2.4(4cyl.)+2.5 (V6)	95-00				60343	1.6" / 40mm	1.6" / 40mm			
Dodge											
Avenger	2.0(4cyl.)+2.5 (V6)	95-00				60342	1.4" / 35mm	1.4" / 35mm			
Caliber	1.8-2.4 (4cyl.)	07+	90911	1.2"-2.4" / 30-60mm	1.2"-2.4" / 30-60mm						
Challenger	3.5(V6)+5.7+6.1(V8)	08+	90281	1.4"-2.6" / 35-65mm	1.4"-2.6" / 35-65mm		60504	1.4" / 35mm	1.4" / 35mm	60213	
Charger	2.7+3.5 (V6)	05+		1.4"-2.6" / 35-65mm	1.4"-2.6" / 35-65mm		60503	1.4" / 35mm	1.4" / 35mm	60210	
	5.7 (V8)	05+	90281	1.4"-2.6" / 35-65mm	1.4"-2.6" / 35-65mm		60504	1.4" / 35mm	1.4" / 35mm	60213	
Conquest	2.8 (4cyl.)	84-88				60340	1.0" / 25mm	1.0" / 25mm			
Daytona/Lancer/Shadow	2.2-2.5 (4cyl.)+3.0 (V6)	84-93				60010	1.0" / 25mm	1.0" / 25mm		P	
Magnum	2.7+3.5 (V6)	05-08				60503	1.4" / 35mm	1.4" / 35mm	60210		
	5.7 (V8)	05-08	90281	1.4"-2.6" / 35-65mm	1.4"-2.6" / 35-65mm		60504	1.4" / 35mm	1.4" / 35mm	60213	

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes			
			Drop				Front				Rear		
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Set Part #	
Buick													
Regal "Grand National"	V6-V8	82-87				50245	1 3/8" / 35mm	51235	1" / 25mm	52245			
Roadmaster Sedan	5.0+5.7(V8)	92-98											
Roadmaster Wagon	5.0+5.7(V8)	91-96											
Skyhawk	FWD	82-91											
Cadillac													
CTS-V	6.0+8.2 (V8)	08+				50400	13/16" / 21mm	51400	15/16" / 24mm	52400			
Chevrolet													
Beretta	4cyl+6cyl.exc.GTZ	87-95											
Camaro 3rd gen.	V6	82-82				50075	1 3/8" / 35mm	51055	1" / 25mm	52075 D			
	V8	82-82				50078	1 3/8" / 35mm	51055	1" / 25mm	52075 D			
Camaro 4th gen.	V6	93-03	63045	1.2" / 30mm	1.2" / 43mm	50080	1 3/8" / 35mm	51055	1" / 25mm	52080 D			
	V8	93-03	63042	1.2" / 30mm	1.2" / 43mm	50080	1 3/8" / 35mm	51055	1" / 25mm	52080 D			
Camaro	V6+V8	2010+				50082	1 1/8" / 28mm	51056	1" / 25mm	52082			
Caprice Sedan	V8	91-96											
Caprice Wagon	V8	91-96											
Cavalier/Corsica	2-24	87-94											
Cavalier (non convertible)	2.2-2.4 (4cyl.)	95-05											
Chevelle/Malibu/Monte Carlo SS	V6	78-88				50245	1 3/8" / 35mm	51235	1" / 25mm	52245			
	V8	78-88											
Cobalt / SS	2.0-2.4 (4cyl.)	05-10				50488	7/8" / 22mm	51488	3/4" / 19mm	52488			
HHR	2.0-2.4 (4cyl.)	05-09				50490	1 1/16" / 27mm	51490	3/4" / 19mm	52490			
Impala SS	5.7 (V8)	94-98				50077	1 1/4" / 32mm	51077	1 1/4" / 32mm	52077			
Impala	3.4+3.8 (V6)	00-05				50078	1 1/4" / 32mm	51078	7/8" / 22mm	52078			
Lumina/Monte Carlo	3.1+3.4+3.8 (V6)	95-01											
Malibu	2.2 (4cyl.)+3.5+3.9 (V6)	04-07				50515	3/4" / 19mm	51515	13/16" / 21mm	52515			
Malibu Maxx	3.5+3.9 (V6)	04-07											
Chrysler													
300C 2WD	2.7+3.5 (V6)	04+				50304	1 1/4" / 32mm	51304	7/8" / 22mm	52304 172			
	5.7 (V8)	04+				50304	1 1/4" / 32mm	51304	7/8" / 22mm	52304 172			
	BRT 6.1 (V8)	04+				50304	1 1/4" / 32mm	51304	7/8" / 22mm	52304 172			
Cirrus	2.0+2.4(4cyl.)+2.5(V6)	95-00											
Crossfire	3.2 (V6)	04-07											
Crossfire Convertible	3.2 (V6)	05-07											
PT Cruiser incl. Convertible	2.4 (4cyl.)	01-09	63300	2.0" / 50mm	1.4" / 35mm	50006	1 1/8" / 28mm	51006	7/8" / 22mm	52006 AA			
			63290	2.0" / 50mm	2.2" / 55mm								
Sebring non convertible	2.0+2.4 (4cyl.)+2.5 (V6)	95-00											
Sebring convertible	2.4(4cyl.)+2.5 (V6)	95-00											
Dodge													
Avenger	2.0(4cyl.)+2.5 (V6)	95-00											
Caliber	1.8-2.4 (4cyl.)	07+											
Challenger	3.5(V6)+5.7+6.1(V8)	08+				50504	1 1/4" / 32mm	51504	7/8" / 22mm	52504 172			
Charger	2.7+3.5 (V6)	05+				50504	1 1/4" / 32mm	51504	7/8" / 22mm	52504 172			
	5.7 (V8)	05+				50504	1 1/4" / 32mm	51504	7/8" / 22mm	52504 172			
Conquest	2.8 (4cyl.)	84-88				50195	1" / 25mm	51195	13/16" / 21mm	52195			
Daytona/Lancer/Shadow	2.2-2.5 (4cyl.)+3.0 (V6)	84-93											
Magnum	2.7+3.5 (V6)	05-08				50504	1 1/4" / 32mm	51504	7/8" / 22mm	52504 172			
	5.7 (V8)	05-08				50504	1 1/4" / 32mm	51504	7/8" / 22mm	52504 172			



ST COILOVER KITS



SPORT SPRINGS

ANTI-SWAY BARS



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs +Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Dodge Continued											
Neon	2.0 (4cyl)	95-99	90285	1.4"-2.6" / 35-55mm	1.4"-2.6" / 35-55mm	2,6					
Neon	non BRT4 2.0 (4cyl)	00-05	90285	1.4"-2.6" / 35-55mm	1.4"-2.6" / 35-55mm	2,6	90002	1.0" / 25mm	1.0" / 25mm		
Neon	BRT4 2.4 (4cyl)	00-05		1.4"-2.6" / 35-55mm	1.4"-2.6" / 35-55mm	2,6	90001	1.0" / 40mm	1.0" / 40mm		
Stealth RT	3.0 (V6)	91-96					90003	1.4" / 35mm	1.4" / 35mm		
Stratus	2.4(4cyl)+2.7+3.0(V6)	01-06					90004	1.4" / 35mm	1.4" / 35mm		
Eagle											
Talon 1st gen.	2WD 1.8+2.0(4cyl)	90-94	90345	1.2"-2.4" / 30-50mm	1.2"-2.4" / 30-50mm		90345	1.0" / 25mm	1.0" / 25mm		
Talon 1st gen.	AWD 2.0(4cyl)	90-94		1.2"-2.4" / 30-50mm	1.2"-2.4" / 30-50mm		90346	1.0" / 25mm	1.0" / 25mm		
Talon 2nd gen.	2WD 2.0(4cyl)	96-98					90355	1.4" / 35mm	1.4" / 35mm		
Talon 2nd gen.	AWD 2.0(4cyl)	96-98					90360	1.4" / 35mm	1.4" / 35mm		
Ford											
Aspire	1.3 (4cyl)	94-97					90465	1.0" / 38mm	1.0" / 38mm		
Escort 3dr. -all	1.8-2.0 (4cyl)	85-90					90450	1.0" / 25mm	1.0" / 25mm	174	
Escort 3dr. -all	1.8-1.9 (4cyl)	91-95					90455	1.0" / 38mm	1.0" / 38mm	174	
Focus Sedan	2.0-2.3 (4cyl)	00-05	90319	1.4"-2.2" / 35-55mm	1.4"-2.0" / 35-50mm		90635	1.4" / 35mm	1.4" / 35mm	90265	
Focus Wagon	2.0-2.3 (4cyl)	00-05	90317	1.4"-2.2" / 35-55mm	1.4"-2.0" / 35-50mm		90642	1.0" / 40mm	1.4" / 35mm	90271	
Fusion	2.3 (4cyl)	06-09	90321	1.2"-2.4" / 30-50mm	1.0"-2.0" / 40-60mm		90687	1.2" / 30mm	1.2" / 30mm	4	
Fusion	3.0 (V6)	06-09		1.2"-2.4" / 30-50mm	1.0"-2.0" / 40-60mm		90687	1.2" / 30mm	1.2" / 30mm	4	
Mustang 3rd gen.	2.3(4cyl)+2.8-3.0(V6)	79-93	90325	1.4"-2.6" / 35-55mm	0.9"-2.1" / 25-55mm		90065	1.0" / 25mm	1.0" / 25mm	79-93	
Mustang 3rd gen.	4.2+5.0 (V8)	79-93		1.4"-2.6" / 35-55mm	0.9"-2.1" / 25-55mm		90090	1.0" / 25mm	1.0" / 25mm		
Mustang 4th gen.	3.8+3.9 (V6)	94-04	90326	1.2"-2.4" / 30-50mm	1.4"-2.5" / 35-65mm		90065	1.0" / 25mm	1.0" / 25mm	94-04	
Mustang 4th gen.	4.6-5.8 (V8)	94-04		1.2"-2.4" / 30-50mm	1.4"-2.5" / 35-65mm		90090	1.0" / 25mm	1.0" / 25mm		
Mustang 5th gen.	4.0 (V6)	05+	90323	1.2"-2.4" / 30-50mm	1.4"-2.2" / 35-55mm		90627	1.4" / 35mm	1.4" / 35mm	90274	
Mustang 5th gen.	4.6+5.4 (V8)	05+		1.2"-2.4" / 30-50mm	1.4"-2.2" / 35-55mm		90627	1.4" / 35mm	1.4" / 35mm	90275	
Probe	2.2 (4cyl)+3.0 (V6)	88-92					90305	1.0" / 25mm	1.0" / 25mm		
Probe	2.0 (4cyl)+2.5 (V6)	93-97					90310	1.0" / 25mm	1.0" / 25mm		
Taurus Wagon	2.5(4cyl)+3.0-3.8(V6)	86-95					90095	1.0" / 38mm	1.0" / 38mm		
Thunderbird exc. SuperCoupe	3.8(V6) + 4.6-5.0(V8)	89-98					90225	1.0" / 40mm	1.0" / 40mm		
Gao											
Prizm	1.8+1.8 (4cyl)	93-97					90370	1.2" / 30mm	1.2" / 30mm		
Storm exc. Wagon	1.8+1.8 (4cyl)	90-93					90080	1.0" / 40mm	1.0" / 40mm		
Honda											
Accord 2dr.+4dr.	2.0 (4cyl)	86-89					90240	1.0" / 25mm	1.0" / 25mm		
Accord 2dr.+4dr.	2.2 (4cyl)	90-97					90250	1.0" / 25mm	1.0" / 25mm		
Accord 2dr.+4dr.	2.7 (V6)	90-97					90257	1.0" / 40mm	1.0" / 40mm		
Accord Wagon	2.2 (4cyl)	95-97					90255	1.0" / 38mm	1.0" / 38mm		
Accord	2.3 (4cyl)	98-02					90254	1.0" / 25mm	1.0" / 25mm		
Accord	3.0 (V6)	98-02					90252	1.0" / 25mm	1.0" / 25mm		
Accord	Coupe 4cyl.	03-07					90256	1.0" / 40mm	1.0" / 40mm		
Accord	4cyl.	03-07					90258	1.0" / 40mm	1.0" / 40mm		
Accord	6cyl.	03-07					90259	1.0" / 40mm	1.0" / 40mm		
Accord	2.4(4cyl)+3.5(V6)	08+					90261	1.2" / 30mm	1.2" / 30mm		
Civic/CRX	1.3+1.5 (4cyl)	84-87					90260	1.0" / 25mm	1.0" / 25mm		
Civic/CRX	1.5+1.6 (4cyl)	88-91	90301	1.2"-2.0" / 30-70mm	1.2"-2.0" / 30-70mm	172	90270	1.0" / 25mm	1.0" / 25mm	90303	10,77
Civic Coupe, Sedan	with orig. front bar 1.5-1.6(4cyl)	92-95	90502	1.6"-3.0" / 40-75mm	1.6"-3.0" / 40-75mm		90282	1.4" / 35mm	1.4" / 35mm		
Civic Coupe, Sedan	without orig. fr.bar 1.5-1.6(4cyl)	92-95		1.6"-3.0" / 40-75mm	1.6"-3.0" / 40-75mm		90282	1.4" / 35mm	1.4" / 35mm		
Civic Coupe, Sedan	with orig. front bar 1.6(4cyl)	96-00	90503	1.6"-3.0" / 40-75mm	1.6"-3.0" / 40-75mm		90282	1.4" / 35mm	1.4" / 35mm		
Civic Coupe, Sedan	without orig. fr.bar 1.6(4cyl)	96-00		1.6"-3.0" / 40-75mm	1.6"-3.0" / 40-75mm		90282	1.4" / 35mm	1.4" / 35mm		

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes			
			Drop				Front				Rear		
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Set Part #	
Dodge Continued													
Neon	2.0 (4cyl)	95-99					90002	1.5"/16" / 24mm	91002	1.5"/16" / 21mm	92002	S	
Neon	non BRT4 2.0 (4cyl)	00-05					90004	1.5"/16" / 24mm	91004	1.5"/16" / 21mm	92004	AA	
Neon	BRT4 2.4 (4cyl)	00-05					90003	1" / 25mm	91003	3/4" / 19mm	92003		
Stealth RT	3.0 (V6)	91-96											
Stratus	2.4(4cyl)+2.7+3.0(V6)	01-06											
Eagle													
Talon 1st gen.	2WD 1.8+2.0(4cyl)	90-94					90200	3/4" / 19mm	91105	1" / 25mm	92205	B	
Talon 1st gen.	AWD 2.0(4cyl)	90-94					90200	3/4" / 19mm	91100	1" / 25mm	92210	B	
Talon 2nd gen.	2WD 2.0(4cyl)	96-98					90205	3/4" / 19mm	91102	3/4" / 19mm	92212	FF BB	
Talon 2nd gen.	AWD 2.0(4cyl)	96-98					90205	3/4" / 19mm	91102	3/4" / 19mm	92212	FF BB	
Ford													
Aspire	1.3 (4cyl)	94-97											
Escort 3dr. -all	1.8-2.0 (4cyl)	85-90											
Escort 3dr. -all	1.8-1.9 (4cyl)	91-95											
Focus Sedan	2.0-2.3 (4cyl)	00-05							91060	7/8" / 22mm			
Focus Wagon	2.0-2.3 (4cyl)	00-05											
Fusion	2.3 (4cyl)	06-09					90301	1 1/16" / 27mm	91300	3/4" / 19mm	92301		
Fusion	3.0 (V6)	06-09					90300	1 1/16" / 27mm	91300	3/4" / 19mm	92300		
Mustang 3rd gen.	2.3(4cyl)+2.8-3.0(V6)	79-93	93000	1.8" / 46mm	2.0" / 50mm		90500	1.3/8" / 35mm	91400	15/16"/24mm	92400	I	
Mustang 3rd gen.	4.2+5.0 (V8)	79-93	93000	1.8" / 46mm	2.0" / 50mm		90500	1.3/8" / 35mm	91400	15/16"/24mm	92400	I	
Mustang 4th gen.	3.8+3.9 (V6)	94-04	93000	1.8" / 46mm	2.0" / 50mm		90505	1.3/8" / 35mm	91400	15/16"/24mm	92500	I, CC	
Mustang 4th gen.	4.6-5.8 (V8)	94-04	93000	1.8" / 46mm	2.0" / 50mm		90505	1.3/8" / 35mm	91400	15/16"/24mm	92500	I	
Mustang 5th gen.	4.0 (V6)	05+	90227	1.3/8" / 35mm	1.1" / 25mm		91027	1" / 25mm	91027	1" / 25mm	92027		
Mustang 5th gen.	4.6+5.4 (V8)	05+	90227	1.3/8" / 35mm	1.1" / 25mm		91027	1" / 25mm	91027	1" / 25mm	92027		
Probe	2.2 (4cyl)+3.0 (V6)	88-92											
Probe	2.0 (4cyl)+2.5 (V6)	93-97											
Taurus Wagon	2.5(4cyl)+3.0-3.8(V6)	86-95											
Thunderbird exc. SuperCoupe	3.8(V6) + 4.6-5.0(V8)	89-98											
Gao													
Prizm	1.8+1.8 (4cyl)	93-97											
Storm exc. Wagon	1.8+1.8 (4cyl)	90-93											
Honda													
Accord 2dr.+4dr.	2.0 (4cyl)	86-89	93005	1.8" / 45mm	2.0" / 50mm		90130	1.5"/16" / 24mm	91110	5/8" / 16mm	92130	N	
Accord 2dr.+4dr.	2.2 (4cyl)	90-97	93010	2.0" / 50mm	1.8" / 45mm		90135	1 1/16" / 27mm	91120	1.5"/16" / 21mm	92135		
Accord 2dr.+4dr.	2.7 (V6)	90-97	93010	2.0" / 50mm	2.0" / 50mm		90135	1 1/16" / 27mm	91120	1.5"/16" / 21mm	92135		
Accord Wagon	2.2 (4cyl)	95-97											
Accord	2.3 (4cyl)	98-02	93014	2.0" / 50mm	2.0" / 50mm		90137	7/8" / 22mm	91137	3/4" / 19mm	92137	F	
Accord	3.0 (V6)	98-02	93012	2.0" / 50mm	2.0" / 50mm		90137	7/8" / 22mm	91137	3/4" / 19mm	92137	F	
Accord	Coupe 4cyl.	03-07	93016	2.8" / 70mm	2.8" / 70mm								
Accord	4cyl.	03-07	93018	2.8" / 70mm	2.8" / 70mm					91137	3/4" / 19mm	R	
Accord	6cyl.	03-07	93019	2.8" / 70mm	2.8" / 70mm					91137	3/4" / 19mm	R	
Accord	2.4(4cyl)+3.5(V6)	08+								91138	3/4" / 19mm	R	
Civic/CRX	1.3+1.5 (4cyl)	84-87					90140	5/8" / 16mm	91125	3/4" / 19mm	92140	B	
Civic/CRX	1.5+1.6 (4cyl)	88-91	93015	2.0" / 50mm	2.0" / 50mm	10,77,78	90142	7/8" / 22mm	91140	7/8" / 22mm	92145	H,R,FR	
Civic Coupe, Sedan	with orig. front bar 1.5-1.6(4cyl)	92-95	93027	2.3" / 58mm	2.0" / 50mm		90157	1" / 25mm	91145	3/4" / 19mm	92166		
Civic Coupe, Sedan	without orig. fr.bar 1.5-1.6(4cyl)	92-95	93019	2.8" / 70mm	2.8" / 70mm		90151	3/4" / 19mm	91145	3/4" / 19mm	92161		
Civic Coupe, Sedan	with orig. front bar 1.6(4cyl)	96-00	93027	2.3" / 58mm	2.0" / 50mm		90167	1.5"/16" / 24mm	91145	3/4" / 19mm	92167	M	
Civic Coupe, Sedan	without orig. fr.bar 1.6(4cyl)	96-00	90168	1.5"/16" / 24mm			90168	1.5"/16" / 24mm	91145	3/4" / 19mm	92168		



ST COILOVER KITS



SPORT SPRINGS

ANTI-SWAY BARS



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs + Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Honda Continued											
Civic Coupe, Sedan	with orig. rear bar	01-02				60284	1.0" / 25mm	1.0" / 25mm			
Civic (all)	1.3+1.7+2.0 (4cyl.)	03-04				60284	1.0" / 25mm	1.0" / 25mm			
Civic	1.3+1.8 (4cyl.)	06+	90517	0.8"-2.0" / 20-50mm	0.8"-2.0" / 20-50mm	60288	1.0" / 25mm	1.0" / 25mm			
Civic Si	Si 2.0 (4cyl.)	06+	90517	0.8"-2.0" / 20-50mm	0.8"-2.0" / 20-50mm	60288	1.0" / 25mm	1.0" / 25mm			
Del Sol	with orig. front bar 1.5-1.6(4cyl.) without orig. fr. bar 1.5-1.6(4cyl.)	93-97				60262	1.4" / 35mm	1.4" / 35mm			
Element	2.4 (4cyl.)	03-10				60263	1.8" / 40mm	1.8" / 40mm			
Fit	1.5 (4cyl.)	06-08				60289	1.4" / 35mm	1.4" / 35mm			
Prelude	1.8+2.0 (4cyl.)	83-87				60315	1.0" / 25mm	1.0" / 25mm			
Prelude	2.0+2.1 (4cyl.)	88-91				60320	1.0" / 25mm	1.0" / 25mm			
Prelude (exc. 4wheel steer)	2.2+2.3 (4cyl.)	92-98				60325	1.0" / 25mm	1.0" / 25mm			
Prelude Incl. SH	2.2 (4cyl.)	97-02				60327	1.2" / 30mm	1.2" / 30mm			
S2000	2.0+2.2 (4cyl.)	00-09				60716	1.0" / 25mm	1.0" / 25mm			
Hyundai											
Accent	1.5 (4cyl.)	94-97				65801	1.4" / 35mm	1.4" / 35mm			
Accent	1.5 (4cyl.)	9/97-10/99				65862	1.4" / 35mm	1.4" / 35mm			
Accent LC	1.5 (4cyl.)	00-05				65863	1.4" / 35mm	1.4" / 35mm			
Genesis coupe	2.0(4cyl)+3.8(V8)	08+	90100	0.8"-2.0" / 20-50mm	0.8"-2.0" / 20-50mm	60805	1.4" / 35mm	1.4" / 35mm			
Scoupe	1.5 (4cyl.)	91-95				65800	1.4" / 35mm	1.4" / 35mm			
Tiburon	2.0 (4cyl.)+2.7 (V6)	03-08				65864	1.8" / 40mm	1.8" / 40mm			
Infiniti											
Q-35 Sedan	3.5 (V6)	03-08				65814	1.4" / 35mm	1.4" / 35mm			
Q-35 Coupe	3.5 (V6)	03-07				65815	1.0" / 25mm	1.0" / 25mm			
I-30	3.0 (V6)	96-99				60180	1.4" / 35mm	1.4" / 35mm			
I-30, I-35	3.0+3.5 (V6)	00-04				60181	1.4" / 35mm	1.4" / 35mm			
Q-45	4.1+4.5 (V8)	01-06				65817	1.2" / 30mm	1.2" / 30mm			
M-45	4.5 (V8)	02-04				65818	1.2" / 30mm	1.2" / 30mm			
Lexus											
GS-300	3.0 (V6)	93-97				65830	1.2" / 30mm	1.2" / 30mm			
GS-300, GS-400	3.0 (V6)+4.0-4.3 (V8)	98-05				65831	1.0" / 25mm	1.0" / 25mm			
SC-300	3.0 (6cyl.)	92-99				65833	1.0" / 25mm	1.0" / 25mm			
SC-400	4.0 (V8)	92-99				65834	1.0" / 25mm	1.0" / 25mm			
Mazda											
Mazda 2	1.5 (4cyl.)	2010+	90302	1.2"-2.2" / 30-55mm	1.2"-2.4" / 30-60mm						
Mazda 3 (BK)	2.0 (4cyl.)	04-08				60861	1.2" / 30mm	1.2" / 30mm			
Mazda 3 (BL)	2.0+2.3i (4cyl.) 2.3 MazdaSpeed (4cyl.)	08+ 09+	90710	1.2"-2.4" / 30-60mm	1.2"-2.2" / 30-55mm						
Mazda 6 Sedan	2.0+2.3 (4cyl.)	02-08	90612	1.2"-2.4" / 30-60mm	1.2"-2.4" / 30-60mm	65867	1.2" / 30mm	1.2" / 30mm		4	
Mazda 6 Wagon	3.0 (V6)	04-07	90613	1.2"-2.4" / 30-60mm	1.2"-2.4" / 30-60mm	65870	1.2" / 30mm	1.2" / 30mm		4	
Mazda 626 Coupe, Sedan	(GD) 2.3i (4cyl.)	88-92				65864	1.4" / 35mm	1.4" / 35mm	80274		
Mazda 626 Coupe, Sedan	2.0(4cyl.) + 2.5(V6)	93-97				65865	1.2" / 30mm	1.2" / 30mm			
Miata MX-6 (NA)	1.8+1.8 (4cyl.)	91-97	90701	1.0"-2.0" / 25-50mm	1.0"-2.0" / 25-50mm	60330	1.0" / 25mm	1.0" / 25mm			
Miata MX-6 (NB)	1.8 (4cyl.)	99-05	90702	1.0"-2.0" / 25-50mm	1.0"-2.0" / 25-50mm	60332	1.8" / 40mm	1.8" / 40mm			
MX-3	1.6+1.8 (4cyl.)	92-95				60335	1.4" / 35mm	1.4" / 35mm			

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes			
			Drop				Front				Rear		
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Set	Part #
Honda Continued													
Civic Coupe, Sedan	with orig. rear bar	01-02	63024	2.3" / 58mm	2.0" / 50mm		50154	1" / 25mm	51154	13/16" / 21mm	52154		
Civic (all)	1.3+1.7+2.0 (4cyl.)	03-04	63024	2.3" / 58mm	2.0" / 50mm		50154	1" / 25mm	51154	13/16" / 21mm	52154		
Civic	1.3+1.8 (4cyl.)	06+	63088	2.0" / 25mm	2.0" / 25mm		50158	1" / 25mm	51158	5/8" / 16mm	52158		
Civic Si	Si 2.0 (4cyl.)	06+	63088	2.0" / 25mm	2.0" / 25mm		50158	13/16" / 21mm	51158	13/16" / 21mm			
Del Sol	with orig. front bar 1.5-1.6(4cyl.) without orig. fr. bar 1.5-1.6(4cyl.)	93-97	63027	2.3" / 58mm	2.0" / 50mm		50157	1" / 25mm	51145	3/4" / 19mm	52166		
Element	2.4 (4cyl.)	03-10					50183	1.3/16" / 33mm	51183	1" / 25mm	52183		
Fit	1.5 (4cyl.)	06-08											
Prelude	1.8+2.0 (4cyl.)	83-87											
Prelude	2.0+2.1 (4cyl.)	88-91											
Prelude (exc. 4wheel steer)	2.2+2.3 (4cyl.)	92-98	63030	2.0" / 50mm	2.0" / 50mm		50185	1" / 25mm	51170	1" / 25mm	52190 Z		
Prelude Incl. SH	2.2 (4cyl.)	97-02					50187	1" / 25mm	51170	1" / 25mm	52192		
S2000	2.0+2.2 (4cyl.)	00-09					50162	1 1/8" / 28mm	51162	1 1/16" / 27mm	52162		
Hyundai													
Accent	1.5 (4cyl.)	94-97											
Accent	1.5 (4cyl.)	9/97-10/99											
Accent LC	1.5 (4cyl.)	00-05											
Genesis coupe	2.0(4cyl)+3.8(V8)	08+					50270	1 1/8" / 28mm	51270	7/8" / 22mm	52270		
Scoupe	1.5 (4cyl.)	91-95											
Tiburon	2.0 (4cyl.)+2.7 (V6)	03-08											
Infiniti													
Q-35 Sedan	3.5 (V6)	03-08											
Q-35 Coupe	3.5 (V6)	03-07											
I-30	3.0 (V6)	96-99											
I-30, I-35	3.0+3.5 (V6)	00-04											
Q-45	4.1+4.5 (V8)	01-06											
M-45	4.5 (V8)	02-04											
Lexus													
GS-300	3.0 (V6)	93-97											
GS-300, GS-400	3.0 (V6)+4.0-4.3 (V8)	98-05											
SC-300	3.0 (6cyl.)	92-99											
SC-400	4.0 (V8)	92-99											
Mazda													
Mazda 2	1.5 (4cyl.)	2010+											
Mazda 3 (BK)	2.0 (4cyl.)	04-08											
Mazda 3 (BL)	2.0+2.3i (4cyl.) 2.3 MazdaSpeed (4cyl.)	08+ 09+											
Mazda 6 Sedan	2.0+2.3 (4cyl.)	02-08											
Mazda 6 Wagon	3.0 (V6)	04-07											
Mazda 626 Coupe, Sedan	(GD) 2.3i (4cyl.)	88-92											
Mazda 626 Coupe, Sedan	2.0(4cyl.) + 2.5(V6)	93-97											
Miata MX-6 (NA)	1.8+1.8 (4cyl.)	91-97					50190	1" / 25mm	51175	3/4" / 19mm	52195 F		
Miata MX-6 (NB)	1.8 (4cyl.)	99-05					50197	1" / 25mm	51177	9/16" / 14mm	52197 F		
MX-3	1.6+1.8 (4cyl.)	92-95											



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs +Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Mazda Continued											
MX-6	2.2 (4cyl)	88-92				60305	1.0" / 25mm	1.0" / 25mm			
MX-6	2.0(4cyl)+2.5(V6)	93-97				60310	1.0" / 25mm	1.0" / 25mm			
Protégé	1.8 (4cyl)	91-94				60456	1.6" / 40mm	1.6" / 40mm			
Protégé (BA)	1.5-1.8 (4cyl)	94-98				60552	1.6" / 40mm	1.6" / 40mm	60350		
Protégé (BJ, BJD)	1.5-2.0 (4cyl)	98-03				60554	1.2" / 30mm	1.2" / 30mm		2.4,80	
Protégé (BJ, BJD)	1.5-2.0 (4cyl)	98-03				60556	1.2" / 30mm	1.2" / 30mm		2.4,81	
RX-7	SAFB (1.1+1.3)	79-85				60285	1.0" / 25mm	1.0" / 25mm			
RX-7	FC (1.3)	88-88				60290	1.0" / 25mm	1.0" / 25mm			
RX-7	FC (1.3)	89-92				60290	1.0" / 25mm	1.0" / 25mm			
RX-7	FD (1.3)	93-95				60300	1.0" / 25mm	1.0" / 25mm			
RX-8	SE (1.3)	04+				60559	0.8" / 20mm	0.8" / 20mm			
Mercury											
Capri	2.3(4cyl)+2.8-3.8(V6)	79-85				60085	1.0" / 25mm	1.0" / 25mm			
Capri	4.2+5.0 (V6)	79-85				60090	1.0" / 25mm	1.0" / 25mm			
Capri XR2 Convertible	1.8 (4cyl)	91-94				60230	1.6" / 38mm	1.5" / 38mm			
Cougar	3.8(V6)+4.6-5.0(V6)	89-97				60225	1.6" / 40mm	1.6" / 40mm			
Milan	2.3 (4cyl)	06-09	90321	1.2"-2.4" / 30-60mm	1.6"-2.4" / 40-60	60667	1.2" / 30mm	1.2" / 30mm		4	
Milan	3.0 (V6)	06-09		1.2"-2.4" / 30-60mm	1.6"-2.4" / 40-60	60667	1.2" / 30mm	1.2" / 30mm		4	
Mystique	2.0(4cyl)+2.5(V6)	95-97				60228	1.6" / 40mm	1.6" / 40mm			
Mystique	2.0(4cyl)+2.5(V6)	97-00				60228	1.6" / 40mm	1.6" / 40mm			
Tracer	1.8+1.8 (4cyl)	91-98				60455	1.6" / 40mm	1.6" / 40mm			
Mercedes-Benz											
190e	1.8-2.2D	84-93				60908	1.6" / 40mm	1.6" / 40mm	60409	11a,30	
W201 190E	2.3-2.5TD	84-93				60907	1.6" / 40mm	1.6" / 40mm	60412	11a,30,54	
W201 190E	2.3-2.5TD	84-93				60908	1.6" / 40mm	1.6" / 40mm	60415	11a,30,55	
C-Class											
W202 C-Class Sedan	C220 (4cyl)	93-12/95				60919	1.6" / 40mm	1.6" / 40mm	60418	2,11a,30,79,99	
W202 C-Class Sedan	C220 (V6)	93-12/95				60919	1.6" / 40mm	1.6" / 40mm	60419	2,11a,30,83,99	
W202 C-Class Sedan	C220 (V6)	93-12/95				60914	1.6" / 40mm	1.6" / 40mm	60424	2,11a,30,79,99	
W202 C-Class Sedan	C220 (V6)	93-12/95				60914	1.6" / 40mm	1.6" / 40mm	60425	2,11a,30,83,99	
W202 C-Class Sedan	C220+C230+C230K (4cyl)	96-00				60912	1.6" / 40mm	1.6" / 40mm	60421	2,11a,30,79,99	
W202 C-Class Sedan	C220 (V6)	96-00				60912	1.6" / 40mm	1.6" / 40mm	60422	2,11a,30,83,99	
W202 C-Class Sedan	C220 (V6)	96-00				60916	1.6" / 40mm	1.6" / 40mm	60427	2,11a,30,79,99	
W202 C-Class Sedan	C220 (V6)	96-00				60916	1.6" / 40mm	1.6" / 40mm	60428	2,11a,30,83,99	
W203 C-Class Sedan	C230K (4cyl)	01-07				60929	1.2" / 30mm	1.2" / 30mm		11,30,99	
W203 C-Class Sedan	C230-C350 (V6)	01-07				60940	1.2" / 30mm	1.2" / 30mm		11,30,99	
W 203K C-Class Wagon	C240+C320 (V6)	03-05				60921	1.2" / 30mm	1.2" / 30mm		11,30,99	
W203 C-Class Coupe	C230K (4cyl)	02-05				60934	1.2" / 30mm	1.2" / 30mm		11,30,99	
W204 C-Class Sedan (ext. leveling control) CLK	C300+C350 (V6)	06+									
W208 CLK	CLK320(8cyl)+CLK430(V6)	98-02				60928	1.6" / 40mm	1.6" / 40mm		11a,30,99	
W208 CLK Convertible	CLK320(8cyl)+CLK430(V6)	98-02				60943	1.6" / 40mm	1.6" / 40mm		11a,30,99	
W209 CLK	320-350+430(8cyl)+500+550 (V6)	03-09				60940	1.2" / 30mm	1.2" / 30mm		11,30,99	
W209 CLK Convertible	320-350+430(8cyl)+500+550 (V6)	03-09				60940	1.2" / 30mm	1.2" / 30mm		11,30,99	
W209 CLK Convertible E-Class	320-350+430(8cyl)+500+550 (V6)	03-09				60940	1.2" / 30mm	1.2" / 30mm		11,30,99	
W210 E-Class Sedan+Coupe	E300+E320(8cyl)+E430(V6)	95-02				60953	1.6" / 40mm	1.6" / 40mm	60460	4,11a,30,79,99	
W210 E-Class Sedan+Coupe	E300+E320(8cyl)+E430(V6)	95-02				60953	1.6" / 40mm	1.6" / 40mm	60470	4,11a,30,83,99	
W210 E-Class Wagon	E320 (8cyl)	95-02				60953	1.2" / 30mm	1.2" / 30mm		4,11,30,99	
W211 E-Class Sedan+Coupe	E320 Diesel	03-09				60955	1.2" / 30mm	1.2" / 30mm		4,11,30,85,99	
W211 E-Class Sedan+Coupe	E320+E350(8cyl)+E500+E550(V6)	03-09				60957	1.2" / 30mm	1.2" / 30mm		4,11,30,85,99	
W211 E-Class Wagon	E320+E350(V6)+E500(V6)	03-09				60966	1.2" / 30mm	1.2" / 30mm		4,9,12,99	
R170 SLK	SLK230(4cyl)+SLK320 (8cyl)	98-04				60902	1.4" / 35mm	1.4" / 35mm	60400	11a,30,99	
R171 SLK	SLK280+SLK350	06+				60904	1.0" / 25mm	1.0" / 25mm		10	

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes												
			Drop				Front				Rear											
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Set	Part #									
Mazda Continued																						
MX-6	2.2 (4cyl)	88-92																				
MX-6	2.0(4cyl)+2.5(V6)	93-97																				
Protégé	1.8 (4cyl)	91-94								60240	3/4" / 19mm	61230	7/8" / 22mm	62240	B							
Protégé (BA)	1.5-1.8 (4cyl)	94-98																				
Protégé (BJ, BJD)	1.5-2.0 (4cyl)	98-03																				
Protégé (BJ, BJD)	1.5-2.0 (4cyl)	98-03																				
RX-7	SAFB (1.1+1.3)	79-85								60180	1 1/8" / 28mm	61150	5/8" / 16mm	62170	FR							
RX-7	FC (1.3)	88-88								60165	1 1/8" / 28mm	61155	3/4" / 19mm	62175	FF							
RX-7	FC (1.3)	89-92								60170	1 1/8" / 27mm	61160	3/4" / 19mm	62180								
RX-7	FD (1.3)	93-95								60175	1 1/4" / 32mm	61165	3/4" / 19mm	62185	FR							
RX-8	SE (1.3)	04+																				
Mercury																						
Capri	2.3(4cyl)+2.8-3.8(V6)	79-85								60050	1 3/8" / 35mm	61040	15/16" / 24mm	62045								
Capri	4.2+5.0 (V6)	79-85								60050	1 3/8" / 35mm	61040	15/16" / 24mm	62045								
Capri XR2 Convertible	1.8 (4cyl)	91-94																				
Cougar	3.8(V6)+4.6-5.0(V6)	89-97																				
Milan	2.3 (4cyl)	06-09								60301	1 1/8" / 27mm	61300	3/4" / 19mm	62301								
Milan	3.0 (V6)	06-09								60300	1 1/8" / 27mm	61300	3/4" / 19mm	62300								
Mystique	2.0(4cyl)+2.5(V6)	95-97																				
Mystique	2.0(4cyl)+2.5(V6)	97-00																				
Tracer	1.8+1.8 (4cyl)	91-98								60240	3/4" / 19mm	61230	7/8" / 22mm	62240	B							
Mercedes-Benz																						
190e	1.8-2.2D	84-93																				
W201 190E	2.3-2.5TD	84-93																				
C-Class																						
W202 C-Class Sedan	C220 (4cyl)	93-12/95																				
W202 C-Class Sedan	C220 (V6)	93-12/95																				
W202 C-Class Sedan	C220+C230+C230K (4cyl)	96-00																				
W202 C-Class Sedan	C220 (V6)	96-00																				
W203 C-Class Sedan	C230K (4cyl)	01-07								63333	1.8" / 45mm	1.2" / 30mm		11,30,99								
W203 C-Class Sedan	C230-C350 (V6)	01-07								63336	1.8" / 45mm	1.2" / 30mm		11,30,99								
W 203K C-Class Wagon	C240+C320 (V6)	03-05								63342	1.8" / 45mm	1.2" / 30mm		11,30,99								
W203 C-Class Coupe	C230K (4cyl)	02-05								63348	1.8" / 45mm	1.2" / 30mm		11,30,99								
W204 C-Class Sedan (ext. leveling control) CLK	C300+C350 (V6)	06+																				
W208 CLK	CLK320(8cyl)+CLK430(V6)	98-02																				
W208 CLK Convertible	CLK320(8cyl)+CLK430(V6)	98-02																				
W209 CLK	320-350+430(8cyl)+500+550 (V6)	03-09																				
W209 CLK Convertible	320-350+430(8cyl)+500+550 (V6)	03-09																				
W209 CLK Convertible E-Class	320-350+430(8cyl)+500+550 (V6)	03-09																				
W210 E-Class Sedan+Coupe	E300+E320(8cyl)+E430(V6)	95-02																				
W210 E-Class Wagon	E320 (8cyl)	95-02																				
W211 E-Class Sedan+Coupe	E320 Diesel	03-09																				
W211 E-Class Sedan+Coupe	E320+E350(8cyl)+E500+E550(V6)	03-09																				
W211 E-Class Wagon	E320+E350(V6)+E500(V6)	03-09																				
R170 SLK	SLK230(4cyl)+SLK320 (8cyl)	98-04																				
R171 SLK	SLK280+SLK350	06+																				



ST COILOVER KITS



SPORT SPRINGS

ANTI-SWAY BARS



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs +Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Mini											
Mini R50 (Incl. Conv./Cooper/Cooper S)	1.6+1.6T (4cyl.)	02-05	90242	0.8"-2.0" / 20-50mm	0.8"-2.0" / 20-50mm	42	66431	1.2" / 30mm	1.2" / 30mm		
Mini Cooper R56 excl. S/Clubman/RCW	1.6 (4cyl.)	07+	90290	1.2"-2.2" / 30-55mm	1.2"-2.2" / 30-55mm	42					
Mini Cooper R56 S, JCW excl. Clubman/RCW	1.6T (4cyl.)	07+	90608	1.2"-2.2" / 30-55mm	1.2"-2.2" / 30-55mm	42					
Mini Cooper Convertible R57	1.6 (4cyl.)	09+	90615	1.2"-2.2" / 30-55mm	1.2"-2.2" / 30-55mm	42					
Mini Clubman R55 (One, Cooper)	1.6 (4cyl.)	08+	90615	1.2"-2.2" / 30-55mm	1.2"-2.2" / 30-55mm	42					
Mini Clubman(R55)+Convertible(R57) (JCW, Cooper S)	1.6 (4cyl.)	09+	90625	1.2"-2.2" / 30-55mm	1.2"-2.2" / 30-55mm	42					
Mitsubishi											
3000 GT	3.0 (V6) FWD+AWD	91-96					60351	1.4" / 35mm	1.4" / 35mm		
3000 GT	3.0 (V6) FWD+AWD	96-99					60352	1.4" / 35mm	1.4" / 35mm		
Diamante	3.5 (V6)	97-04					60353	1.4" / 35mm	1.4" / 35mm		
Eclipse	2WD 1.8+2.0 (4cyl.)	90-94					60345	1.0" / 25mm	1.0" / 25mm		
Eclipse	AWD 2.0 (4cyl.)	90-94					60350	1.0" / 25mm	1.0" / 25mm		
Eclipse	2WD 2.0+2.4 (4cyl.)	95-99					60355	1.2" / 30mm	1.2" / 30mm		
Eclipse	AWD 2.0 (4cyl.)	95-99					60360	1.2" / 30mm	1.2" / 30mm		
Eclipse Spyder	2.0+2.4 (4cyl.)	96-99									
Eclipse	2.4(4cyl.)+3.0(V6)	00-05					60357	1.6" / 40mm	1.6" / 40mm		
Eclipse	2.4(4cyl.)+3.0(V6)	06+					60358	1.4" / 35mm	1.0" / 25mm		
Lancer	2.0 (4cyl.)	02-07					60600	1.2" / 30mm	1.2" / 30mm		
Evolution 8-9	2.0 (4cyl.)	03-07					60354	1.0" / 25mm	1.0" / 25mm		
Galant	2.4 (4cyl.) exc.4WD	94-98					60364	1.0" / 25mm	1.0" / 25mm		
Starion	2.6 (4cyl.)	83-89					60340	1.0" / 25mm	1.0" / 25mm		
Nissan											
200SX	1.8+2.0 (4cyl.)	95-98					60205	1.6" / 40mm	1.6" / 40mm		
240SX (S13)	2.4 (4cyl.)	89-94					60125	1.4" / 35mm	1.4" / 35mm		
240SX (S14)	2.4 (4cyl.)	95-98					60130	1.4" / 35mm	1.4" / 35mm		
240Z	2.4 (4cyl.)	70-73					60135	1.0" / 25mm	1.0" / 25mm		
260Z	2.8 (6cyl.)	74-75					60145	1.0" / 25mm	1.0" / 25mm		
280Z	2.8 (6cyl.)	75-78					60145	1.0" / 25mm	1.0" / 25mm		
280ZX	2.8 (6cyl.)	79-83					60150	1.0" / 25mm	1.0" / 25mm		
300ZX	3.0 (V6)	90-96					60190	0.8" / 20mm	0.8" / 20mm		
300ZX	3.0 (V6) Incl.Turbo	84-89					60185	1.0" / 25mm	1.0" / 25mm		
350Z	(Z33) 3.5i (V6)	03-08					60050	0.8" / 20mm	0.8" / 20mm		
350Z Convertible	(Z33) 3.5i (V6)	04-08					60051	1.0" / 25mm	1.0" / 25mm		
370z	3.7 (V6)	09+									
510 sedan	long strut 1.8 (4cyl.)	68-73					60160	1.6" / 40mm	1.6" / 40mm		
510 sedan	short strut 1.8 (4cyl.)	68-73					60165	1.6" / 40mm	1.6" / 40mm		
Altima	2.4 (4cyl.)	93-97					60155	1.4" / 35mm	1.4" / 35mm		
Altima	2.4 (4cyl.)	98-01					60155	1.4" / 35mm	1.4" / 35mm		
Altima	2.5(4cyl.)+3.5(V6)	02-05					60198	1.6" / 40mm	1.6" / 40mm		
Maxima	3.0 (V6)	89-94					60175	1.6" / 40mm	1.6" / 40mm		
Maxima	3.0 (V6)	95-99					60180	1.4" / 35mm	1.4" / 35mm		
Maxima	3.0+3.5 (V6)	00-03					60181	1.4" / 35mm	1.4" / 35mm		
NX	1.6+2.0 (4cyl.)	91-93					60200	1.6" / 40mm	1.6" / 40mm		
Sentra 2dr./4dr.	1.8+1.7 (4cyl.)	85-90					60195	1.6" / 40mm	1.6" / 40mm		
Sentra 2dr./4dr.	1.8+2.0 (4cyl.)	91-94					60195	1.6" / 40mm	1.6" / 40mm		
Sentra	1.6+2.0 (4cyl.)	95-99					60205	1.6" / 40mm	1.6" / 40mm		

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes		
			Drop				Front Bar diam.				Set	
			Part #	Front	Rear		Part #	Part #	Bar diam.		Part #	Bar diam.
Mini												
Mini R50 (Incl. Conv./Cooper/Cooper S)	1.6+1.6T (4cyl.)	02-05								91025	13/16" / 21mm	
Mini Cooper R56 excl. S/Clubman/RCW	1.6 (4cyl.)	07+										
Mini Cooper R56 S, JCW excl. Clubman/RCW	1.6T (4cyl.)	07+										
Mini Cooper Convertible R57	1.6 (4cyl.)	09+										
Mini Clubman R55 (One, Cooper)	1.6 (4cyl.)	08+										
Mini Clubman(R55)+Convertible(R57) (JCW, Cooper S)	1.6 (4cyl.)	09+										
Mitsubishi												
3000 GT	3.0 (V6) FWD+AWD	91-96										
3000 GT	3.0 (V6) FWD+AWD	96-99										
Diamante	3.5 (V6)	97-04										
Eclipse	2WD 1.8+2.0 (4cyl.)	90-94					60200	3/4" / 90mm	61185	1" / 25mm	62205	B,FR
Eclipse	AWD 2.0 (4cyl.)	90-94					60200	3/4" / 90mm	61190	1" / 25mm	62210	B
Eclipse	2WD 2.0+2.4 (4cyl.)	95-99					60205	3/4" / 90mm	61192	3/4" / 90mm	62212	FF,BB
Eclipse	AWD 2.0 (4cyl.)	95-99					60205	3/4" / 90mm	61192	3/4" / 90mm	62212	FF,BB
Eclipse Spyder	2.0+2.4 (4cyl.)	96-99					60205	3/4" / 90mm	61192	3/4" / 90mm	62212	BB
Eclipse	2.4(4cyl.)+3.0(V6)	00-05							61194	7/8" / 22mm		FR
Eclipse	2.4(4cyl.)+3.0(V6)	06+					60208	1" / 25mm	61208	15/16" / 24mm	62208	
Lancer	2.0 (4cyl.)	02-07										
Evolution 8-9	2.0 (4cyl.)	03-07					60207	1" / 25mm	61207	1" / 25mm	62207	
Galant	2.4 (4cyl.) exc.4WD	94-98										
Starion	2.6 (4cyl.)	83-89					60195	1" / 25mm	61180	13/16" / 21mm	62200	
Nissan												
200SX	1.8+2.0 (4cyl.)	95-98					60122	1" / 25mm	61127	3/4" / 19mm	62127	
240SX (S13)	2.4 (4cyl.)	89-94					60085	1 1/16" / 27mm	61065	13/16" / 21mm	62085	
240SX (S14)	2.4 (4cyl.)	95-98					60090	1 1/8" / 29mm	61066	13/16" / 21mm	62090	
240Z	2.4 (4cyl.)	70-73					60095	1" / 25mm	61075	3/4" / 19mm	62095	
260Z	2.8 (6cyl.)	74-75					60100	1 1/8" / 28mm	61080	7/8" / 22mm	62100	
280Z	2.8 (6cyl.)	75-78					60100	1 1/8" / 28mm	61080	7/8" / 22mm	62100	
280ZX	2.8 (6cyl.)	79-83					60105	1 1/8" / 28mm	61085	7/8" / 22mm	62105	
300ZX	3.0 (V6)	90-96					60120	1 1/8" / 28mm	61100	13/16" / 21mm	62120	F
300ZX	3.0 (V6) Incl.Turbo	84-89										
350Z	(Z33) 3.5i (V6)	03-08					60126	1 5/16" / 33mm	61126	7/8" / 22mm	62126	
350Z Convertible	(Z33) 3.5i (V6)	04-08					60126	1 5/16" / 33mm	61126	7/8" / 22mm	62126	
370z	3.7 (V6)	09+					60128	1 1/8" / 28mm	61128	15/16" / 24mm	62128	
510 sedan	long strut 1.8 (4cyl.)	68-73					60110	1" / 25mm	61090	3/4" / 19mm	62110	FR
510 sedan	short strut 1.8 (4cyl.)	68-73					60110	1" / 25mm	61090	3/4" / 19mm	62110	FR
Altima	2.4 (4cyl.)	93-97					61092	7/8" / 22mm				
Altima	2.4 (4cyl.)	98-01					61097	7/8" / 22mm				
Altima	2.5(4cyl.)+3.5(V6)	02-05					60198	7/8" / 22mm	61198	3/4" / 19mm	62198	BB
Maxima	3.0 (V6)	89-94					60115	1 1/4" / 32mm	61095	3/4" / 19mm	62115	
Maxima	3.0 (V6)	95-99										
Maxima	3.0+3.5 (V6)	00-03										
NX	1.6+2.0 (4cyl.)	91-93					60125	1 3/16" / 31mm	61105	3/4" / 19mm	62125	U
Sentra 2dr./4dr.	1.8+1.7 (4cyl.)	85-90										
Sentra 2dr./4dr.	1.8+2.0 (4cyl.)	91-94					60125	1 3/16" / 31mm	61105	3/4" / 19mm	62125	U
Sentra	1.6+2.0 (4cyl.)	95-99					60122	1" / 25mm	61127	3/4" / 19mm	62127	



ST COILOVER KITS



SPORT SPRINGS

ANTI-SWAY BARS



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs + Shock)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Oldsmobile											
Cutlass exc. Wagon	4.3-5.7 (V8) (RWD)	78-88				60450	1.0" / 25MM	1.0" / 25MM		L	
Cutlass Calais	FWD all (4cyl.+V6)	82-91				60455	1.0" / 25MM	1.0" / 25MM			
Plymouth											
Breeze	2.0+2.4 (4cyl.)	96-00				60053	1.4" / 40mm	1.4" / 40mm			
Lasar	1.8+2.0 (4cyl.) FWD	89-94				60345	1.0" / 25mm	1.0" / 25mm			
	2.0(4cyl.) AWD	89-94				60350	1.0" / 25mm	1.0" / 25mm			
Sundance	2.2 (4cyl.)+2.5 (4cyl.)	87-91				60010	1.0" / 25mm	1.0" / 25mm			
Pontiac											
Fiero	2.5(4cyl.)+2.8(V6)	84-88				60210	1.8" / 40mm	1.8" / 40mm			
Firebird	5.0+5.7(V8)/GTA	82-92				60110	1.0" / 25mm	1.0" / 25mm		L	
	2.8-3.8(V6) exc. GTA	82-92				60115	1.0" / 25mm	1.0" / 25mm		L	
Firebird	5.7 (V8)	93-02				60120	1.4" / 35mm	1.4" / 35mm			
	3.4+3.8 (V6)	93-02				60117	1.4" / 35mm	1.4" / 35mm			
Grand AM(Sunbird FWD)	2.0-2.5(4cyl.)+3.0-3.3(V6)	85-94				60485	1.0" / 25mm	1.0" / 25mm		Y	
Grand Prix (RWD)	4.3-5.7 (V8)	78-87				60490	1.0" / 25mm	1.0" / 25mm		L	
Solstice	2.0+2.4 (4cyl.)	06-09	90649	1.0"-2.0" / 25-50mm	1.0"-2.0" / 25-50mm	60496	1.3" / 33mm	1.3" / 33mm			
Sunfire (exc. convertible)	2.2-2.4 (4cyl.)	95-04				60487	1.2" / 30mm	1.2" / 30mm		Y	
Vibe	1.8 (4cyl.)	03-08				60492	1.2" / 30mm	1.2" / 30mm			
SAAB											
9.3 Sedan	2.0+2.3 (4cyl.) +2.8(V6)	02+				66104	1.2" / 30mm	1.2" / 30mm		11.99	
9.5 Sedan	2.3(4cyl.)+3.0(V6)	99-09				66108	1.2" / 30mm	1.2" / 30mm		2.11.99	
9.5 Wagon	2.3(4cyl.)+3.0(V6)	99-09				66108	1.2" / 30mm	1.2" / 30mm		11.99	
Saturn											
Ion	2.0-2.4 (4cyl.)	03-07									
S-Series Incl.Wagon	1.9 (4cyl.)	92-02				60445	1.4" / 36mm	1.4" / 36mm			
Sky	2.0+2.4 (4cyl.)	07-09	90649	1.0"-2.0" / 25-50mm	1.0"-2.0" / 25-50mm	60496	1.3" / 33mm	1.3" / 33mm			
Scion											
TC	2.4 (4cyl.)	06-10				60386	1.0" / 25mm	1.0" / 25mm			
XA, XB	1.5 (4cyl.)	04-06				60384	1.8" / 40mm	1.8" / 40mm			
XB	2.4 (4cyl.)	08+				60382	1.75" / 44mm	1.75" / 44mm			
XD	1.8 (4cyl.)	08+				60383	1.8" / 38mm	1.8" / 38mm			
Subaru											
Impreza	1.8-2.5 (4cyl.)	93-00	90461	1.8"-2.8" / 40-70mm	1.8"-2.8" / 40-70mm	60550	1.2" / 30mm	1.2" / 30mm			
Impreza Incl WRX WRX-STI	2.0-2.5 (4cyl.)	02-07	90462	1.0"-2.1" / 25-55mm	1.0"-1.8" / 25-45mm						
	2.5 (4cyl.)	2004	90462	1.0"-2.1" / 25-55mm	1.0"-1.8" / 25-45mm						
Impreza WRX	2.5 (4cyl.)	08+									
Legacy	2.2-2.5 (4cyl.)	89-98									
Suzuki											
Reno	2.0 (4cyl.)	04-08									
Toyota											
Camry (exc. Wagon)	3.0 (6cyl.)	92-96				60375	1.4" / 35mm	1.4" / 35mm			
Camry	2.0 (4cyl.) 2WD	88-89				60380	1.4" / 35mm	1.4" / 35mm			
Camry	1.8+2.2(4cyl.) 2WD	90-93				60385	1.8" / 40mm	1.8" / 40mm			
Camry	1.8+2.2 (4cyl.) 2WD	94-99				60385	1.8" / 40mm	1.8" / 40mm			
Camry	1.8 (4cyl.) 2WD	00-04				60387	1.2" / 30mm	1.2" / 30mm			

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes			
			Drop				Front				Rear		
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Set Part #	
Oldsmobile													
Cutlass exc. Wagon	4.3-5.7 (V8) (RWD)	78-88				60045	1.3" / 30mm	61235	1" / 25mm	62245			
Cutlass Calais	FWD all (4cyl.+V6)	82-91											
Plymouth													
Breeze	2.0+2.4 (4cyl.)	96-00											
Lasar	1.8+2.0 (4cyl.) FWD	89-94				60200	3/4" / 19mm	61185	1" / 25mm	62205 B FR			
	2.0(4cyl.) AWD	89-94				60200	3/4" / 19mm	61190	1" / 25mm	62210 B			
Sundance	2.2 (4cyl.)+2.5 (4cyl.)	87-91											
Pontiac													
Fiero	2.5(4cyl.)+2.8(V6)	84-88											
Firebird	5.0+5.7(V8)/GTA	82-92				60075	1.3" / 30mm	61065	1" / 25mm	62075 D			
	2.8-3.8(V6) exc. GTA	82-92				60075	1.3" / 30mm	61065	1" / 25mm	62075 D			
Firebird	5.7 (V8)	93-02	63042	1.2" / 30mm	1.8" / 40mm	60080	1.3" / 30mm	61065	1" / 25mm	62080 D			
	3.4+3.8 (V6)	93-02	63045	1.2" / 30mm	1.8" / 40mm	60080	1.3" / 30mm	61065	1" / 25mm	62080 D			
Grand AM(Sunbird FWD)	2.0-2.5(4cyl.)+3.0-3.3(V6)	85-94											
Grand Prix (RWD)	4.3-5.7 (V8)	78-87				60245	1.3" / 30mm	61235	1" / 25mm	62245			
Solstice	2.0+2.4 (4cyl.)	06-09				60246	1.1" / 27mm	61246	1.5" / 24mm	62246			
Sunfire (exc. convertible)	2.2-2.4 (4cyl.)	95-04											
Vibe	1.8 (4cyl.)	03-08	63092	2.0" / 50mm	2.0" / 50mm								
SAAB													
9.3 Sedan	2.0+2.3 (4cyl.) +2.8(V6)	02+											
9.5 Sedan	2.3(4cyl.)+3.0(V6)	99-09											
9.5 Wagon	2.3(4cyl.)+3.0(V6)	99-09											
Saturn													
Ion	2.0-2.4 (4cyl.)	03-07				60488	7/8" / 22mm	61246	1.5" / 21mm	62242			
S-Series Incl.Wagon	1.9 (4cyl.)	92-02											
Sky	2.0+2.4 (4cyl.)	07-09				60246	1.1" / 27mm	61246	1.5" / 24mm	62246			
Scion													
TC	2.4 (4cyl.)	06-10	63086	2.0" / 50mm	2.0" / 50mm	60227	1.5" / 24mm	61227	1.3" / 21mm	62227			
XA, XB	1.5 (4cyl.)	04-06						61284	1.3" / 21mm				
XB	2.4 (4cyl.)	08+											
XD	1.8 (4cyl.)	08+											
Subaru													
Impreza	1.8-2.5 (4cyl.)	93-00				60260	7/8" / 22mm	61280	1.5" / 24mm	62260			
Impreza Incl WRX WRX-STI	2.0-2.5 (4cyl.)	02-07											
	2.5 (4cyl.)	2004											
Impreza WRX	2.5 (4cyl.)	08+											
Legacy	2.2-2.5 (4cyl.)	89-98											
Suzuki													
Reno	2.0 (4cyl.)	04-08				60244	7/8" / 22mm	61244	3/4" / 19mm	62244			
Toyota													
Camry (exc. Wagon)	3.0 (6cyl.)	92-96											
Camry	2.0 (4cyl.) 2WD	88-89											
Camry	1.8+2.2(4cyl.) 2WD	90-93						61200	7/8" / 22mm	FR			
Camry	1.8+2.2 (4cyl.) 2WD	94-99						60210	1.5" / 24mm	61200 7/8" / 22mm 62217 FR			
Camry	1.8 (4cyl.) 2WD	00-04						61212	7/8" / 22mm				



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs +Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Toyota Continued											
Corolla AEB6	1.6 (4cyl.)	85-87									
Corolla 2dr. FWD axel. FX Model	1.6 (4cyl.)	88-91				60365	1.6"/40mm	1.6"/40mm			
Corolla	1.6+1.8 (4cyl.)	93-97				60370	1.4"/35mm	1.4"/35mm			
Echo	1.5 (4cyl.)	00-05				66150	1.4"/35mm	1.4"/35mm			
Matrix	1.8 (4cyl.)	03-08				60482	1.2"/30mm	1.2"/30mm			
MR-2	1.8 (4cyl.)	85-89				60455	1.4"/35mm	1.4"/35mm			
MR-2	2.0+2.2 (4cyl.)	91-95				60410	1.4"/35mm	1.4"/35mm			
MR-2	1.8 (4cyl.)	00-05				60411	1.2"/30mm	1.2"/30mm			
Supra	2.8 (6cyl.)	81-86				60390	1.4"/35mm	1.4"/35mm			
Supra Incl. Turbo	3.0 (6cyl.)	86-92				60395	1.4"/35mm	1.4"/35mm			
Paseo/Tercel	1.5 (4cyl.)	91-94				60362	1.0"/25mm	1.0"/25mm			
Tercel	1.5 (4cyl.)	86-88				60400	1.0"/25mm	1.0"/25mm			
Volkswagen											
Corrado											
Corrado	1.8 (4cyl.)	90-94	90805	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	60435	1.0"/25mm	1.0"/25mm	60562		
	(S3) 2.0VR6	90-94		1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	66218	1.6"/40mm	1.6"/40mm	60555	16,35	
Eos											
Eos	2.0(4cyl.) without DSG	07+	90885	1.4"-2.6"/35-65mm	1.4"-2.6"/35-65mm					11	
Eos	2.0(4cyl.)+3.2(V6) with DSG	07+	90885	1.4"-2.6"/35-65mm	1.4"-2.6"/35-65mm					11	
Golf											
Golf I	(17,17CK) 1.6-1.8 (4cyl.) + Diesel	78-84	90801	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	60430	1.0"/25mm	1.0"/25mm	60563	10,174	
						66215	1.6"/40mm	1.6"/40mm			
Golf I Convertible	(150) 1.6-1.8i (4cyl.)	80-83	90801	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	66216	1.4"/35mm	1.4"/35mm	60564		
Golf II 2WD	(19E) 1.6-2.0 (4cyl.) + Diesel	85-92	90802	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	60430	1.3"/33mm	1.3"/33mm	60566	10	
						66214	1.6"/40mm	1.6"/40mm			
Golf III 2WD	(1H0X01H) 2.0 (4cyl.)	93-99	90802	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	60430	1.0"/25mm	1.0"/25mm	60570	36	
						66222	1.6"/40mm	1.6"/40mm			
Golf III 2WD	(1H0X01H) 2.0 (4cyl.)	8/95-97	90802	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	66231	1.6"/40mm	1.6"/40mm	60567		
Golf III 2WD	(1H0X01H) GT16VVR6	1/92-9/95	90804	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	66242	1.2"/30mm	1.2"/30mm	60576	32,35,36	
Golf III 2WD	(1H0X01H) GT16VVR6	8/95-98	90804	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	66245	1.2"/30mm	1.2"/30mm	60573	32,35	
Golf III Convertible	(1E0X01E) 1.8i-2.0i	94-9/95	90802	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	66246	1.6"/40mm	1.6"/40mm	60582	35	
Golf III Convertible	(1E0X01E) 1.8i-2.0i	8/95-02	90802	1.6"-2.8"/40-70mm	1.6"-2.8"/40-70mm	66247	1.6"/40mm	1.6"/40mm	60583		
Golf IV	(1J) 1.8-2.0 (4cyl.)	98-05	90031	1.2"-2.0"-30-50mm	1.2"-2.0"-30-50mm	2,4,42,48,91,112,121	1.2"/30mm	1.2"/30mm	60541		
Golf IV	(1J)1.9 Diesel	99-05	90031	1.2"-2.0"-30-50mm	1.2"-2.0"-30-50mm	2,4,42,48,91,112,121	1.2"/30mm	1.2"/30mm	60549	91	
Golf IV R32	3.2 V6	04	90830	0.4"-1.8"/10-40mm	0.4"-1.2"/10-30mm						
Golf V	1.9+2.0 (4cyl.) + 2.5 (6cyl.)	06-09	90873	0.8"-1.8"/20-45mm	0.4"-1.4"/10-36mm	71					
Golf V GTI Incl. DSG	2.0T	06-09	90873	0.8"-1.8"/20-45mm	0.4"-1.4"/10-36mm	71				11	
Golf V R32 4motion	3.2 V6	08	90850	0.8"-1.8"/20-40mm	0.6"-1.4"/15-35mm						
Golf VI	2.5 (6cyl.)	09+	90892	1.4"-2.8"/35-65	1.4"-2.8"/35-65						
Golf VI	2.0 TDI	09+	90893	1.4"-2.8"/35-65	1.4"-2.8"/35-65					11	
Golf VI GTI	2.0T	09+	90892	0.4"-1.8"/10-40mm	0.6"-1.8"/15-40mm						

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes
			Drop				Front	Rear	Set	
			Part #	Front	Rear		Part #	Bar diam.	Part #	
Toyota Continued										
Corolla AEB6	1.6 (4cyl.)	85-87								
Corolla 2dr. FWD axel. FX Model	1.6 (4cyl.)	88-91				60218	1" / 25mm	61216	7/8" / 22mm	62218
Corolla	1.6+1.8 (4cyl.)	93-97								
Echo	1.5 (4cyl.)	00-05								
Matrix	1.8 (4cyl.)	03-08	63092	2.0"/50mm	2.0"/50mm					
MR-2	1.8 (4cyl.)	85-89				60220	13/16"/21mm	61210	1/2" / 13mm	62220 FR
MR-2	2.0+2.2 (4cyl.)	91-95				60225	15/16"/24mm	61215	7/8"/22mm	62225 FR
MR-2	1.8 (4cyl.)	00-05								
Supra	2.8 (6cyl.)	81-86								
Supra Incl. Turbo	3.0 (6cyl.)	86-92				60216	1.188"/28mm	61205	15/16"/24mm	62216 FR
Paseo/Tercel	1.5 (4cyl.)	91-94								
Tercel	1.5 (4cyl.)	86-88								
Volkswagen										
Corrado										
Corrado	1.8 (4cyl.)	90-94	63356	2.4"/60mm	1.8"/40mm	63282	1			
			63359	2.4"/60mm	2.4"/60mm	63285	1			
	(S3) 2.0VR6	90-94	63362	3.1"/80mm	2.4"/60mm	63288	1,20,95	60235	7/8"/22mm	61225 1"/25mm 62235 X,FR
Eos										
Eos	2.0(4cyl.) without DSG	07+								
Eos	2.0(4cyl.)+3.2(V6) with DSG	07+								
Golf										
Golf I	(17,17CK) 1.6-1.8 (4cyl.) + Diesel	78-84	63365	2.4"/60mm	1.8"/40mm	63291	1,10			
			63368	2.4"/60mm	2.4"/60mm	63294	1,10			
			63371	3.1"/80mm	2.4"/60mm	63297	1,10,20			
			63374	3.1"/80mm	3.1"/80mm	63305	1,10,20			
Golf I Convertible	(150) 1.6-1.8i (4cyl.)	80-83	63375	2.2"/55mm	1.8"/40mm	63301	1			
Golf II 2WD	(19E) 1.6-2.0 (4cyl.) + Diesel	85-92	63383	2.4"/60mm	1.8"/40mm	63302	1,10			
			63389	2.4"/60mm	2.4"/60mm	63303	1,10			
			63362	3.1"/80mm	2.4"/60mm	63304	1,10,20	60235	7/8"/22mm	61225 1"/25mm 62235 X,FR
			63366	3.1"/80mm	3.1"/80mm	63305	1,10,20			
Golf III 2WD	(1H0X01H) 2.0 (4cyl.)	93-99	63389	2.4"/60mm	1.8"/40mm	63309	1,36			
			63392	2.4"/60mm	2.4"/60mm	63312	1,36	60235	7/8"/22mm	61225 1"/25mm 62235 X,FR
			63395	3.1"/80mm	2.4"/60mm	63315	1,20,36			
Golf III 2WD	(1H0X01H) 2.0 (4cyl.)	8/95-97	63398	2.4"/60mm	1.8"/40mm	63318	1			
			63401	2.4"/60mm	2.4"/60mm	63321	1	60235	7/8"/22mm	61225 1"/25mm 62235 X,FR
			63404	3.1"/80mm	2.4"/60mm	63322	1,20,36			
Golf III 2WD	(1H0X01H) GT16VVR6	1/92-9/95	63389	2.0"/50mm	1.2"/30mm	63323	1,32,35,36	60235	7/8"/22mm	61225 1"/25mm 62235 X,FR
			63392	2.4"/60mm	2.4"/60mm	63324	1,35,35,36			
Golf III 2WD	(1H0X01H) GT16VVR6	8/95-98	63398	2.0"/50mm	1.2"/30mm	63325	1,32,35	60235	7/8"/22mm	61225 1"/25mm 62235 X,FR
			63401	2.0"/50mm	2.0"/50mm	63326	1,32,35			
Golf III Convertible	(1E0X01E) 1.8i-2.0i	94-9/95						60235	7/8"/22mm	61225 1"/25mm 62235 X,FR
Golf III Convertible	(1E0X01E) 1.8i-2.0i	8/95-02						60235	7/8"/22mm	61225 1"/25mm 62235 X,FR
Golf IV	(1J) 1.8-2.0 (4cyl.)	98-05	63350	3.0"/60mm	1.2"/30mm	63270	91			
			63353	2.0"/50mm	2.0"/50mm	63273	91			
Golf IV	(1J)1.9 Diesel	99-05	63187	3.0"/60mm	1.2"/30mm	63276	91			
			63193	2.0"/50mm	2.0"/50mm	63278	91			
Golf IV R32	3.2 V6	04						60237	1"/25mm	61227 7/8"/22mm 62237
Golf V	1.9+2.0 (4cyl.) + 2.5 (6cyl.)	06-09						60238	1"/25mm	61238 13/16"/21mm 62238
Golf V GTI Incl. DSG	2.0T	06-09						60238	1"/25mm	61238 13/16"/21mm 62238
Golf V R32 4motion	3.2 V6	08								
Golf VI	2.5 (6cyl.)	09+						60238	1"/25mm	61238 13/16"/21mm 62238
Golf VI	2.0 TDI	09+								
Golf VI GTI	2.0T	09+						60238	1"/25mm	61238 13/16"/21mm 62238



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs +Shocks)	Footnotes
			Drop (min.- max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Volkswagen Continued											
Jetta											
Jetta I	(17,17Ck) 1.6-1.8 + Diesel	80-84	90801	1.6"-2.8" / 40-70mm	1.6"-2.8" / 40-70mm	60420 60425 60215	1.0" / 25mm 1.2" / 30mm 1.6" / 40mm	1.0" / 25mm 1.2" / 30mm 1.6" / 40mm	80551	10,174	
Jetta II	(19E) 1.8-2.0 + Diesel	85-92	90802	1.6"-2.8" / 40-70mm	1.6"-2.8" / 40-70mm	60430 60214	1.2" / 30mm 1.6" / 40mm	1.2" / 30mm 1.6" / 40mm	80556	9,10	
Jetta III	(1HX0/1H) 1.8-2.0 + 1.9D	93-095	90802	1.6"-2.8" / 40-70mm	1.6"-2.8" / 40-70mm	60430 60212	1.0" / 25mm 1.6" / 40mm	1.0" / 25mm 1.6" / 40mm	80570	30	
Jetta III	(1HX0/1H) GT16/VR6	93-055	90804	1.6"-2.8" / 40-70mm	1.6"-2.8" / 40-70mm	6042	1.2" / 30mm	1.2" / 30mm	80576	32,35,36	
Jetta III	(1HX0/1H) 1.8-2.0 + 1.9D	8/95-98	90802	1.6"-2.8" / 40-70mm	1.6"-2.8" / 40-70mm	60231 60236	1.6" / 40mm 1.6" / 40mm	1.6" / 40mm 1.6" / 40mm	80667 80668		
Jetta III	(1HX0/1H) GT16/VR6	8/95-98	90804	1.6"-2.8" / 40-70mm	1.6"-2.8" / 40-70mm	6045	1.2" / 30mm	1.2" / 30mm	80673	32,35	
Jetta IV Sedan	(1J) 1.8-2.0 (4cyl)	99-04	90616	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	4,42,49,91,11 2,121	1.2" / 30mm	1.2" / 30mm	80643		
Jetta IV Sedan	(1J) 2.8 (V6)+1.8 Diesel	99-04	90616	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	4,42,49,91,11 2,121	1.2" / 30mm	1.2" / 30mm	80644	91	
Jetta IV Wagon	(1J) 1.4-1.8 (4cyl)	01-04	90616	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	4,42,49,91,11 2,121	1.2" / 30mm	1.2" / 30mm	80612		
Jetta IV Wagon	(1J) 2.8 (V6)+1.8 Diesel	01-04	90616	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	4,42,49,91,11 2,121	1.2" / 30mm	1.2" / 30mm	80615	91	
Jetta V	1.8-2.0(4cyl)+2.5(5cyl)	05-10	90873	0.8"-1.8" / 20-45mm	0.4"-1.4" / 10-36mm	71					
Jetta V	2.0TDI	05-10	90873	0.8"-1.8" / 20-45mm	0.4"-1.4" / 10-36mm	71					
Jetta V Wagon incl. GLI	1.8-2.0(4cyl)+2.5(5cyl)	05-10	90873	0.8"-1.8" / 20-45mm	0.4"-1.4" / 10-36mm	71					
Jetta V Wagon incl. GLI	1.9+2.0 TDI	05-10	90873	0.8"-1.8" / 20-45mm	0.4"-1.4" / 10-36mm	71					
New Beetle											
New Beetle	(8C) 1.8-2.0 (4cyl)	98+	90031	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	2,4,42,49,91,11 12,121	1.2" / 30mm	1.2" / 30mm	80641	57	
New Beetle	(8C) 2.5(5cyl)+1.9TDI	98+	90031	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	2,4,42,49,91,11 12,121	1.2" / 30mm	1.2" / 30mm	80649	57	
New Beetle Convertible	(1Y) 1.8-2.0 (4cyl)	03+	90031	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	2,4,42,49,91,11 12,121	1.2" / 30mm	1.2" / 30mm	80641	57	
New Beetle Convertible	(1Y) 2.5(5cyl) + 1.9TDI	03+	90031	1.2"-2.0" / 30-50mm	1.2"-2.0" / 30-50mm	2,4,42,49,91,11 12,121	1.2" / 30mm	1.2" / 30mm	80649	57	
Passat											
Passat (35-B3) Sedan	2.0 (4cyl)	90-92	90855	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80279	1.6" / 40mm 1.6" / 40mm	80624 80625	4,151 4,152	
Passat (35-B3) Sedan	VR6	90-92	90856	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80287	1.4" / 35mm	80633	4,24,35	
Passat (35-B3) Wagon	2.0 (4cyl)	90-92	90855	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80317	1.6" / 40mm 1.6" / 40mm	80666 80667	4,151 4,152	
Passat (35-B3) Wagon	VR6	90-92	90856	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80325	1.4" / 35mm	80675	4,24,35	
Passat (35-B4) Sedan	1.9+2.0 (4cyl)	93-97	90856	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80291	1.6" / 40mm 1.6" / 40mm	80627 80628	4,151 4,152	
Passat (35-B4) Sedan	1.9TDI	93-97	90856	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80295	1.6" / 40mm 1.6" / 40mm	80630 80631	4,67,151 4,67,152	
Passat (35-B4) Sedan	VR6	93-97	90856	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80288	1.4" / 35mm 1.6" / 40mm	80632 80633	4,35,151 4,35,152	
Passat (35-B4) Wagon	1.9+2.0 (4cyl)	93-97	90855	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80319	1.6" / 40mm 1.6" / 40mm	80669 80670	4,151 4,152	
Passat (35-B4) Wagon	1.9TDI	93-97	90856	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80320	1.6" / 40mm 1.6" / 40mm	80672	4,66,67,151	
Passat (35-B4) Wagon	VR6	93-97	90856	1.6"-2.8" / 40-70mm	1.2"-2.8" / 30-70mm	4	80326	1.4" / 35mm 1.4" / 35mm	80678 80679	4,35,151 4,35,152	
Passat (35-B5) Sedan	1.8 (4cyl)	98-00	90811	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	4,48,112	80291	1.4" / 35mm	80648	4	
Passat (35-B5) Sedan	2.8 (V6)+1.9TDI	98-00	90811	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	4,48,112	80295	1.4" / 35mm	80654	4	
Passat (35-B5) Wagon	1.8 (4cyl)	98-00	90811	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	4,48,112	80329	1.4" / 35mm	80684	4	
Passat (35-B5) Wagon	2.8 (V6)+1.9TDI	98-00	90811	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	4,48,112	80331	1.4" / 35mm	80687	4	
Passat (35-B5.5) Sedan	1.8 (4cyl)	01-05	90811	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	4,48,112	80297	1.0" / 25mm	80645	4,57,159	
Passat (35-B5.5) Sedan	2.8 (V6)+1.9TDI	01-05	90811	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	4,48,112	80298	1.2" / 30mm	80646	4,59	
Passat (35-B5.5) Wagon	1.8 (4cyl)	01-05	90811	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	4,48,112	80333	1.0" / 25mm	80690	4,57,159	
Passat (35-B5.5) Wagon	2.8 (V6)+2.0TDI	01-05	90811	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	4,48,112	80337	1.2" / 30mm	80693	4,59	

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes			
			Drop				Front	Rear	Set				
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Part #	
Volkswagen Continued													
Jetta													
Jetta I	(17,17Ck) 1.6-1.8 + Diesel	80-84	63365 63368 63371 63374	2.4" / 60mm 2.4" / 60mm 3.1" / 80mm 3.1" / 80mm	1.8" / 40mm 2.4" / 60mm 2.4" / 60mm 3.1" / 80mm	83291 83294 83297 83300	1,10 1,10 1,10,20 1,10,20	50236	7/8" / 22mm	51220	1" / 25mm	52230	W
Jetta II	(19E) 1.8-2.0 + Diesel	85-92	63363 63369 63362 63366	2.4" / 60mm 2.4" / 60mm 3.1" / 80mm 3.1" / 80mm	1.8" / 40mm 2.4" / 60mm 2.4" / 60mm 3.1" / 80mm	83302 83303 83304 83305	1,10 1,10 1,10,20 5,10,20	50235	7/8" / 22mm	51225	1" / 25mm	52235	X,FR
Jetta III	(1HX0/1H) 1.8-2.0 + 1.9D	93-095	63389 63392 63389 63392	2.4" / 60mm 2.4" / 60mm 2.0" / 50mm 2.0" / 50mm	1.8" / 40mm 2.4" / 60mm 1.2" / 30mm 2.0" / 50mm	83309 83312 83323 83324	1,36 1,36 1,32,35,36 1,35,35,36	50235	7/8" / 22mm	51225	1" / 25mm	52235	X,FR
Jetta III	(1HX0/1H) GT16/VR6	93-055	63389 63392	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83323 83324	1,32,35,36 1,35,35,36	50235	7/8" / 22mm	51225	1" / 25mm	52235	X,FR
Jetta III	(1HX0/1H) 1.8-2.0 + 1.9D	8/95-98	63401 63404 63392 63401	2.4" / 60mm 3.1" / 80mm 2.0" / 50mm 2.0" / 50mm	1.8" / 40mm 2.4" / 60mm 1.2" / 30mm 2.0" / 50mm	83318 83321 83325 83328	1 1,20,36 1,32,36 1,32,36	50235	7/8" / 22mm	51225	1" / 25mm	52235	X,FR
Jetta III	(1HX0/1H) GT16/VR6	8/95-98	63401	2.0" / 50mm	2.0" / 50mm	83328	1,32,36	50235	7/8" / 22mm	51225	1" / 25mm	52235	X,FR
Jetta IV Sedan	(1J) 1.8-2.0 (4cyl)	99-04	63360 63363	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83327 83328	91 91						
Jetta IV Sedan	(1J) 2.8 (V6)+1.8 Diesel	99-04	63187 63193	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83329 83331	91 91						
Jetta IV Wagon	(1J) 1.4-1.8 (4cyl)	01-04	63422	2.0" / 50mm	1.2" / 30mm	83330	91						
Jetta IV Wagon	(1J) 2.8 (V6)+1.8 Diesel	01-04	63425	2.0" / 50mm	1.2" / 30mm	83333	91						
Jetta V	1.8-2.0(4cyl)+2.5(5cyl)	05-10						50238	1" / 25mm	51238	13/16" / 21mm	52238	
Jetta V	2.0TDI	05-10						50238	1" / 25mm	51238	13/16" / 21mm	52238	
Jetta V Wagon incl. GLI	1.8-2.0(4cyl)+2.5(5cyl)	05-10						50238	1" / 25mm	51238	13/16" / 21mm	52238	
Jetta V Wagon incl. GLI	1.9+2.0 TDI	05-10						50238	1" / 25mm	51238	13/16" / 21mm	52238	
New Beetle													
New Beetle	(8C) 1.8-2.0 (4cyl)	98+	63350 63353	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83270 83273	57,91 57,91						
New Beetle	(8C) 2.5(5cyl)+1.9TDI	98+	63187 63193	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83276 83279	57,91 57,91						
New Beetle Convertible	(1Y) 1.8-2.0 (4cyl)	03+	63360 63363	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83270 83273	57,91 57,91						
New Beetle Convertible	(1Y) 2.5(5cyl) + 1.9TDI	03+	63187 63193	2.0" / 50mm 2.0" / 50mm	1.2" / 30mm 2.0" / 50mm	83276 83279	57,91 57,91						
Passat													
Passat (35-B3) Sedan	2.0 (4cyl)	90-92											
Passat (35-B3) Sedan	VR6	90-92											
Passat (35-B3) Wagon	2.0 (4cyl)	90-92											
Passat (35-B3) Wagon	VR6	90-92											
Passat (35-B4) Sedan	1.9+2.0 (4cyl)	93-97	63428	2.4" / 60mm 2.4" / 60mm	1.8" / 40mm 1.8" / 40mm	83271 83272	1,4,151 1,4,152						
Passat (35-B4) Sedan	1.9TDI	93-97											
Passat (35-B4) Sedan	VR6	93-97											
Passat (35-B4) Wagon	1.9+2.0 (4cyl)	93-97	63449	2.4" / 60mm 2.4" / 60mm	1.8" / 40mm 1.8" / 40mm	83277 83278	1,4,151 1,4,152						
Passat (35-B4) Wagon	1.9TDI	93-97											
Passat (35-B4) Wagon	VR6	93-97											



ST COILOVER KITS



SPORT SPRINGS

ANTI-SWAY BARS



Application	Engine/Model	Year	COILOVERS			Footnotes	SPORTTECH LOWERING SPRINGS			Sporttech Lowering Kits (Springs + Shocks)	Footnotes
			Drop (min. - max.)				Drop				
			Part #	Front	Rear		Part #	Front	Rear		
Volkswagen Continued											
Passat (3BG-85.5) Sedan 4motion	1.8 (4cyl.)	01-05	90817	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	11,112	66313	1.2" / 30mm	1.2" / 30mm		170
	2.8i V6	01-05		1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	11,112	66314	1.2" / 30mm	1.2" / 30mm		170
Passat (3BG-85.5) Wagon 4motion	1.8 (4cyl.)	01-05	90817	1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	11,112	66345	1.2" / 30mm	1.2" / 30mm		170
	2.8i V6	01-05		1.2"-2.8" / 30-70mm	1.6"-2.8" / 40-70mm	11,112	66346	1.2" / 30mm	1.2" / 30mm		170
Passat W8 Sedan+Wagon (3BG-85.5) 4motion	4.0 (V8)	02-05	90928	1.0"-2.2" / 25-55mm	1.0"-2.2" / 25-55mm						
Passat (3C-86) Sedan	2.0 (4cyl.)	06-10	90614	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm						
	3.6 (V6)	06-10		1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm						
Passat (3C-86) Wagon	2.0 (4cyl.)	07-10	90687	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm						11
	3.6 (V6)	07-10		1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm						
Passat (3C-86) Sedan Quattro	3.6 (V6)	06-08	90614	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm						
Passat (3C-86) Wagon Quattro	3.6 (V6)	07-08	90687	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm						
Passat CC	2.0 (4cyl.)	09+	90614	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm						11
	3.2 (VR6) incl. 4motion	09+		1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm						
Sclerooco											
Sclerooco	(17, 17CK) 1.7-1.8 (4cyl.)	82-88	90801	1.5"-2.8" / 40-70mm	1.8"-2.8" / 40-70mm		66420 66215	1.0" / 25mm 1.8" / 40mm	1.0" / 25mm 1.8" / 40mm	80551	10, 174
Tiguan											
Tiguan 2WD+4WD	2.0 (4cyl.)	09+	90806	1.4"-2.8" / 35-65mm	1.4"-2.8" / 35-65mm	71					
Transporter (T2-T3)	1.2-2.1 (4cyl.)	67-92					63041	1.8" / 45mm	1.8" / 45mm		
Volvo											
C70 Coupe, Convertible	(N) 2.3i-2.5Turbo	98-06					66417	1.8" / 40mm	1.8" / 40mm		11,99
S-Series											
S40	(V) 1.9 (4cyl.)	00-03					66460	1.8" / 40mm	1.8" / 40mm		11,99
S40	(M) 1.9(4cyl.)+2.4+2.5(5cyl.)	04+					66461	1.2" / 30mm	1.2" / 30mm		4, 11
S60	(R) 2.3-2.5Turbo	01-09					66412	1.2" / 30mm	1.2" / 30mm		4, 11, 21, 99
S70	2.3+2.5Turbo (5cyl.)	98-00					66415	1.8" / 40mm	1.8" / 40mm	80741	4, 11, 21, 99
S80	(T) 2.5(5cyl.)+2.8+2.9(8cyl.)	99-06					66423	1.2" / 30mm	1.2" / 30mm		4, 11, 21, 99
V-Series											
V40 Wagon	(V) 1.9 (4cyl.)	00-04					66460	1.4" / 35mm	1.4" / 35mm		11, 21, 99
V50	(M) 2.4i + 2.5Turbo	05+					66461	1.2" / 30mm	1.2" / 30mm		4, 11
V70 Wagon	(L) 2.4i - 2.3+2.4Turbo	98-00					66417	1.8" / 40mm	1.8" / 40mm		4, 11, 21, 99
V70 Wagon	(S) 2.4i - 2.3-2.5Turbo	01-07					66420	1.8" / 40mm	1.8" / 40mm		4, 11, 21, 99

Application	Engine/Model	Year	SPEEDTECH LOWERING SPRINGS			Footnotes	ANTI-SWAY BARS			Footnotes			
			Drop				Front				Rear		
			Part #	Front	Rear		Part #	Bar diam.	Part #		Bar diam.	Set Part #	
Volkswagen Continued													
Passat (3BG-85.5) Sedan 4motion	1.8 (4cyl.)	01-05											
	2.8i V6	01-05											
Passat (3BG-85.5) Wagon 4motion	1.8 (4cyl.)	01-05											
	2.8i V6	01-05											
Passat W8 Sedan+Wagon (3BG-85.5) 4motion	4.0 (V8)	02-05											
Passat (3C-86) Sedan	2.0 (4cyl.)	06-10				50238	1" / 25mm	51238	13/16" / 21mm	52238			
	3.6 (V6)	06-10											
Passat (3C-86) Wagon	2.0 (4cyl.)	07-10											
	3.6 (V6)	07-10											
Passat (3C-86) Sedan Quattro	3.6 (V6)	06-08											
Passat (3C-86) Wagon Quattro	3.6 (V6)	07-08											
Passat CC	2.0 (4cyl.)	09+											
	3.2 (VR6) incl. 4motion	09+											
Sclerooco													
Sclerooco	(17, 17CK) 1.7-1.8 (4cyl.)	82-88	63365	2.4" / 60mm	1.8" / 40mm	83291				1, 10			
			63368	2.4" / 80mm	2.4" / 80mm	83294				1, 10			
			63371	3.1" / 80mm	2.4" / 80mm	83297				1, 10, 20			
			63374	3.1" / 80mm	3.1" / 80mm	83300				1, 10, 20			
Tiguan													
Tiguan 2WD+4WD	2.0 (4cyl.)	09+											
Transporter (T2-T3)	1.2-2.1 (4cyl.)	67-92											
Volvo													
C70 Coupe, Convertible	(N) 2.3i-2.5Turbo	98-06											
S-Series													
S40	(V) 1.9 (4cyl.)	00-03											
S40	(M) 1.9(4cyl.)+2.4+2.5(5cyl.)	04+											
S60	(R) 2.3-2.5Turbo	01-09											
S70	2.3+2.5Turbo (5cyl.)	98-00											
S80	(T) 2.5(5cyl.)+2.8+2.9(8cyl.)	99-06											
V-Series													
V40 Wagon	(V) 1.9 (4cyl.)	00-04											
V50	(M) 2.4i + 2.5Turbo	05+											
V70 Wagon	(L) 2.4i - 2.3+2.4Turbo	98-00											
V70 Wagon	(S) 2.4i - 2.3-2.5Turbo	01-07											



Application	Engine/Model	Year	ST PRO ALIGN						Footnotes
			Front Camber			Rear Camber			
			Part #	Type	Degrees	Part #	Type	Degrees	
Acura									
CL Model	2.2 / 2.3 (4cyl.)	97-99	57430	Balljoint p.wheel	+/-1.5°				
	3.0 (8cyl.)	97-99	57430	Balljoint p.wheel	+/-1.5°				
	3.2 (8cyl.)	02-03	57430	Balljoint p.wheel	+/-1.5°				
TL Model	2.8 (8cyl.)	95-98	57430	Balljoint p.wheel	+/-1.5°				
	3.2 (8cyl.)	99-03	57432	Balljoint p.wheel	+/-1.5°				
RL Model	3.5 (V6)	96-03	57432	Balljoint p.wheel	+/-1.5°				
Integra 2dr / 4dr.	1.7+1.8 (4cyl.)	90-93	57432	Balljoint p.wheel	+/-1.5°				A1
	1.8 (4cyl.)	94-01	57432	Balljoint p.wheel	+/-1.5°				A1
Legend Coupe/Sedan	3.2L (V6)	91-95	57432	Balljoint p.wheel	+/-1.5°				
TSX	2.4 (4cyl.)	04-08	57430	Balljoint p.wheel	+/-1.5°				
TSX	2.4(4cyl.)+3.5(V6)	09-	57432	Balljoint p.wheel	+/-1.5°				
Chevrolet									
Aveo	1.8 (4cyl.)	04-11	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Cavalier (non convertible)	2.2-2.4 (4cyl.)	95-05	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Cobalt / SS	2.0-2.4 (4cyl.)	05-10	57420	12mm Strut/spindle bolt pair	+/-1.75°				
HHR	2.0-2.4 (4cyl.)	05-	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Impala	3.4+3.8 (V6)	00-05	57422	14mm Strut/spindle bolt pair	+/-1.75°	57422	14mm Strut/spindle bolt pair	+/-1.75°	
Malibu	2.4 (4cyl.) + 3.1 (V6)	97-03	57422	14mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Chrysler									
Sebring non convertible	2.8+2.4 (4cyl.)+2.5 (V6)	95-00	57434	Balljoint p.wheel	+/-1.5°				AB
Dodge									
Avenger	2.0(4cyl.)+2.5 (V6)	95-00	57434	Balljoint p.wheel	+/-1.5°				AB
Caliber	1.8-2.4 (4cyl.)	07+	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Neon	2.0 (4cyl.)	95-99	57422	14mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Neon	non BRT4 2.0 (4cyl.)	00-05	57422	14mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
	BRT4 2.4 (4cyl.)	00-05	57422	14mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Eagle									
Talon 1st gen.	2WD 1.8+2.0(4cyl.)	90-94	57420	12mm Strut/spindle bolt pair	+/-1.75°				
	AWD 2.0(4cyl.)	90-94	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Talon 2nd gen.	2WD 2.0(4cyl.)	96-98	57434	Balljoint p.wheel	+/-1.5°				AB
	AWD 2.0(4cyl.)	96-98	57434	Balljoint p.wheel	+/-1.5°				AB
Ford									
Escort 3dr. -all	1.6+2.0 (4cyl.)	85-90				57420	12mm Strut/spindle bolt pair	+/-1.75°	
Escort 3dr. -all	1.8-1.9 (4cyl.)	91-95	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Mustang 5th gen.	4.0 (V6)	05-	57422	14mm Strut/spindle bolt pair	+/-1.75°				
	4.6+5.4 (V8)	05-	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Probe	2.2 (4cyl.)+3.0 (V6)	86-92	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Probe	2.9 (4cyl.)+2.9 (V6)	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Geo									
Prizm	1.8+1.8 (4cyl.)	93-97	57422	14mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Storm exc. Wagon	1.8+1.8 (4cyl.)	90-93	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Honda									
Accord	2.3 (4cyl.)	88-02	57430	Balljoint p.wheel	+/-1.5°				
	3.0 (V6)	88-02	57430	Balljoint p.wheel	+/-1.5°				
Accord	Coupe	03-07	57432	Balljoint p.wheel	+/-1.5°				
	4cyl.	03-07	57432	Balljoint p.wheel	+/-1.5°				
	6cyl.	03-07	57432	Balljoint p.wheel	+/-1.5°				
Accord	2.4(4cyl.)+3.5(V6)	08+	57432	Balljoint p.wheel	+/-1.5°				
Chivo/CRX	1.5+1.8 (4cyl.)	88-91	57430	Balljoint p.wheel	+/-1.5°				

Application	Engine/Model	Year	SPORT SHOCKS			Footnotes
			Front	Rear	Set	
			Part #	Part #	Part #	
Audi						
A3 (8P) 2WD	2.0+2.8TDI (4cyl.)	06+				71
A3 (8P) Quattro	2.8T (4cyl.)	06+				71
	3.2 (V6)	06+				71
A4 (B8/B8) Sedan 2WD VIN# up to 80*219999	1.8T (4cyl.)	95-97	61210002	61210000*	47006	4.25, 11.2
	2.8 (V6)	95-97	61210002	61210000*	47006	4.25, 11.2
A4 (B8/B8) Sedan 2WD VIN# from 80*2200000 up	1.8T (4cyl.)	95-01	61210002	61210030*	47007	4.25, 11.2
	2.8 (V6)	95-01	61210002	61210030*	47007	4.25, 11.2
A4 (B8/B8) Wagon 2WD	2.8 (V6)	1998	61210002	61210030*	47007	4.25, 11.2
A4 (B8/B8) Quattro Sedan+Wagon	1.8T (4cyl.)	95-01	61W10002	61810012	47014	
	2.8 (V6)	95-01	61W10002	61810012	47014	
A4 (B8/B8) Sedan 2WD	1.8T+2.0 (4cyl.)	01-08	61210037	61210027	47009	11
	2.8-3.2 (V6)	01-08	61210037	61210027	47009	11
A4 (B8/B8) Sedan Quattro	1.8T+2.0T (4cyl.)	01-08	61210037	61210027	47009	170
	2.8-3.2 (V6)	01-08	61210037	61210027	47009	170
A4 (B8/B8) Wagon Quattro	1.8T+2.0T (4cyl.)	01-08	61210037	61210027	47009	170
	2.8-3.2 (V6)	01-08	61210037	61210027	47009	170
A4 (B8/B8) Convertible	1.8T+2.0T (4cyl.)	03-08	61210037	61210027	47009	
	3.0 (V6)	03-08	61210037	61210027	47009	
A6 (4B/C5) Wagon 2WD	2.8+3.0 (V6)	97-04	6120002	61290817	47008	4,11
A6 (4B/C5) Sedan Quattro	2.7+2.8+3.0 (V6)	97-04	6120002	61610015	47010	11
A6 (4B/C5) Wagon Quattro	2.8+3.0 (V6)	97-04	6120002	61610015	47010	11
TT + TT Roadster (8M) 2WD	1.8T (4cyl.)	00-06	61210028	61210028	47179	4,150
TT + TT Roadster (8M) Quattro	1.8T (4cyl.)	00-06	61210028	61290016	47011	170
BMW						
E30 Sedan+Coupe; Strut 1.8" / 45mm	318i (4cyl.)	84-02	61220006	61220008	47012	4,5,44
	325i+325i(x)+325e(x) (6cyl.)	84-92	61220006	61220008	47012	4,5,44
E30 Sedan+Coupe; Strut 2.0" / 51mm	318i (4cyl.)	84-92	61220008	61220006	47039	4,5,45
	325i+325i(x)+325e(x) (6cyl.)	84-92	61220008	61220006	47039	4,5,45
E30 Convertible; Strut 2.0" / 51mm	318i (4cyl.)	87-94	61220008	61220006	47039	4,5,45
	325i (6cyl.)	86-94	61220008	61220006	47039	4,5,45
E36 Sedan+Coupe	318i+318ia (4cyl.)	92-98	L-61220001		47021	5
	323i(x)+323i(x)+323i(x) (6cyl.)	92-98	R-61220002		47021	5
E36 Convertible	318i (4cyl.)	94-98	L-61220001		47021	5
	323i+323i+328i (6cyl.)	94-98	R-61220002		47021	5
E36 Compact	318i (4cyl.)	95-99	L-61220001	61220008	47027	5
			R-61220002			
E46 Sedan+Coupe	323i(x)+323i+328i(x)+330i (6cyl.)	98-05	L-61220028	61220028	47033	5
			R-61220027			
E46 Convertible	323i+323i(x)+325i(x)+330i(x) (6cyl.)	99-05	L-61220028	61220028	47033	5
			R-61220027			
E46 Sport Wagon		00-05	L-61220028	61220028	47033	5
			R-61220027			
E46 Compact	318i (4cyl.)	1999	L-61220028	61220007	47032	5
			R-61220027			
E29 M5						
E34 has different shock absorber fasteners and Top Cap!	3.5 (8cyl.)	1988				
E34 Sedan M14x1.5 Top Cap:40mm	525i+525i (6cyl.)	85-95	61220003	61220009	47045	5,6a,11,16
E34 Sedan M14x1.5 Top Cap:80mm	525i+525e+535i(x) (6cyl.)	89-95	61220004	61220009	47046	5,6a,11,16
	530i+540i (V8)	88-95	61220004	61220009	47046	5,6a,11,16
E34 Sports Wagon M14x1.5 Top Cap:80mm	525i (6cyl.)	92-95	61220004	61220009	47046	5,6a,11,16
	530i (V8)	92-96	61220004	61220009	47046	5,6a,11,16
E39 Sedan without fact. sp.suspension kit	525i+528i+530i (6cyl.)	97-03	61620007	61620008	47048	6,11,16
	540i (V8)	97-03	61620021	61620008	47049	6,11,16
E39 Sedan with fact. sp.suspension kit	525i+528i+530i (6cyl.)	97-03	61620009	61620010	47051	6,11,39
	540i (V8)	97-03	61620022	61620010	47050	6,11,39

SPORT SUSPENSION KITS





Application	Engine/Model	Year	ST PRO ALIGN						Footnotes
			Front Camber			Rear Camber			
			Part #	Type	Degrees	Part #	Type	Degrees	
Honda Continued									
Civic Coupe, Sedan	with orig. front bar 1.5-1.6(Acyl.)	92-95	57432	Balljoint p.wheel	+/-1.5"				
	without orig. fr. bar 1.5-1.6(Acyl.)	92-95	57432	Balljoint p.wheel	+/-1.5"				
Civic Coupe, Sedan	with orig. front bar 1.6(Acyl.)	96-00	57432	Balljoint p.wheel	+/-1.5"				
	without orig. fr. bar 1.6(Acyl.)	96-00	57432	Balljoint p.wheel	+/-1.5"				
Civic Coupe, Sedan	with orig. rear bar	01-02	57422	14mm Strut/spindle bolt pair	+/-1.75"				
Civic	1.3+1.8 (4cyl.)	06+	57422	14mm Strut/spindle bolt pair	+/-1.75"				
Civic Si	Si 2.0 (4cyl.)	06+	57422	14mm Strut/spindle bolt pair	+/-1.75"				
Del Sol	with orig. front bar 1.5-1.6(Acyl.)	93-97	57432	Balljoint p.wheel	+/-1.5"				
	without orig. fr. bar 1.5-1.6(Acyl.)	93-97	57432	Balljoint p.wheel	+/-1.5"				
Fit	1.5 (4cyl.)	06-08	57422	14mm Strut/spindle bolt pair	+/-1.75"				
Hyundai									
Accent	1.5 (4cyl.)	94-97	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Accent	1.5 (4cyl.)	99/10-99	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Accent LC	1.5 (4cyl.)	00-05	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Scoupe	1.5 (4cyl.)	91-95	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Tiburon	1.8 - 2.0 (4cyl.)	97-02	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Tiburon	2.0 (4cyl.)+2.7 (V6)	03-08	57422	14mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Infiniti									
I-30	3.0 (V6)	96-99	57422	14mm Strut/spindle bolt pair	+/-1.75"				
I-30, I-35	3.0+3.3 (V6)	00-04	57422	14mm Strut/spindle bolt pair	+/-1.75"				
Mazda									
Mazda 626 Coupe, Sedan	(GD) 2.2i (4cyl.)	88-92	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Mazda 626 Coupe, Sedan	2.0(4cyl.) + 2.5(V6)	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
MX-3	1.6+1.8 (4cyl.)	92-95	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
MX-6	2.2 (4cyl.)	88-92	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
MX-6	2.0(4cyl.)+ 2.5(V6)	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Protégé	1.8 (4cyl.)	91-94	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Protégé (BA)	1.5+1.8 (4cyl.)	94-98	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Protégé (BJ, BJD)	1.5-2.0 (4cyl.)	98-03	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Protégé (BJ, BJD)	1.5-2.0 (4cyl.)	98-03	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Mercury									
Capri XR2 Convertible	1.8 (4cyl.)	91-94				57420	12mm Strut/spindle bolt pair	+/-1.75"	
Tracer	1.8+1.9 (4cyl.)	91-96	57420	12mm Strut/spindle bolt pair	+/-1.75"	57420	12mm Strut/spindle bolt pair	+/-1.75"	
Mercedes-Benz									
W203 C-Class Sedan	C230K (4cyl.)	01-07	57422	14mm Strut/spindle bolt pair	+/-1.75"				
	C230-C350 (V6)	01-07	57422	14mm Strut/spindle bolt pair	+/-1.75"				
W 203K C-Class Wagon	C240-C320 (V6)	03-05	57422	14mm Strut/spindle bolt pair	+/-1.75"				
W203 C-Class Coupe	C230K (4cyl.)	02-05	57422	14mm Strut/spindle bolt pair	+/-1.75"				
Mitsubishi									
3000 GT	3.0 (V6) FWD+AWD	91-96	57420	12mm Strut/spindle bolt pair	+/-1.75"				
3000 GT	3.0 (V6) FWD+AWD	96-99	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Diamante	3 (V6)	97-04	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Eclipse	2WD 1.8-2.0 (4cyl.)	90-94	57420	12mm Strut/spindle bolt pair	+/-1.75"				
	AWD 2.0 (4cyl.)	90-94	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Eclipse	2WD 2.0+2.4 (4cyl.)	95-99	57434	Balljoint p.wheel	+/-1.5"				
	AWD 2.0 (4cyl.)	95-99	57434	Balljoint p.wheel	+/-1.5"				

Application	Engine/Model	Year	SPORT SHOCKS			Footnotes
			Front	Rear	Set	
			Part #	Part #	Part #	
BMW Continued						
E39 Sports Wagon without fact. air suspension	525i+528i (8cyl.)	99-03	61620007	61620020	47052	6,11,16,65
	540i (V8)	99-03	61620007	61620020	47052	6,11,16,65
E39 Sports Wagon with fact. air suspension	525i+528i (8cyl.)	99-03	61620007	61620020	47052	6,11,16,65
	540i (V8)	99-03	61620007	61620020	47052	6,11,16,65
Z Series						
Z3 Coupe/Roadster; non M	1.9 (4cyl.)	95-02	L-61220001	61220008	47021	6A
	2.8+3.0 (8cyl.)	95-02	R-61220002	61220008	47021	6A
Chrysler						
300C 2WD	2.7+3.5 (V6)	04-10	61027011*	61027010	47060	
	2.7 (V6)	04-10	61027011*	61027010	47063	
	SRT 6.1 (V8)	04-10				
Dodge						
Charger	2.7+3.5 (V6)	05+	61027011*	61027010	47060	
	5.7 (V8)	05+	61027011*	61027010	47063	
Magnum	2.7+3.5 (V6)	05-08	61027011*	61027010	47060	
	5.7 (V8)	05-08	61027011*	61027010	47063	
Ford						
Focus Sedan	2.0-2.3 (4cyl.)	00-05	L-61230002 R-61230003	61230009	47086	
Focus Wagon	2.0-2.3 (4cyl.)	00-05	L-61230002 R-61230003	61230009	47086	
Mustang 3rd gen.	2.3(4cyl.)+2.8-3.8(V6)	79-93	61230043	61230044	47091	171
	4.2+5.0 (V8)	79-93	61230043	61230044	47091	171
Mustang 4th gen.	3.8+3.9 (V6)	94-04	61230043	61230044	47091	171
	4.6-5.8 (V8)	94-04	61230043	61230044	47091	171
Mustang 5th gen.	4.0 (V6)	05+	61230037	61230038	47092	
	4.6+5.4 (V8)	05+	61230037	61230038	47092	
Honda						
Civic/CRX	1.5+1.6 (4cyl.)	88-91	L-61650015 R-61650014	61650018	47100	19,77,78
Mazda						
Mazda 626 Coupe, Sedan	(GD) 2.2i (4cyl.)	88-92	61675010	61675011	47122	
Protégé (BA)	1.8-1.8i (4cyl.)	94-98	L-61675006 R-61675005	L-61675008 R-61675007	47120	2,4,80
Mercedes-Benz						
190	1.8-2.2D	84-93	61625004	61625005	47143	
	2.3-2.5TD	84-93	61625004	61625005	47143	
C-Class						
W202 C-Class Sedan	C220 (4cyl.)	93-12/95	61625014	61625007	47146	
	C280 (V6)	93-12/95	61625014	61625007	47146	
W202 C-Class Sedan	C220+C230+C230K (4cyl.)	96-00	61625014	61625007	47146	
	C280 (V6)	96-00	61625014	61625007	47146	
E-Class						
W210 E-Class Sedan+Coupe	E300+E320(4cyl.)+E430(V8)	95-02	61625011	61625012	47148	
BLK R170 BLK	SLK230K(4cyl.)+SLK320 (8cyl.)	98-04	61625001	61625002	47140	
Volkswagen						
Corrado	1.8 (4cyl.)	90-94	61280002	61280008*	47166	
	(83i) 2.9VR6	90-94	61280002	61280008*	47166	
Golf I	(17,17CK) 1.5-1.8 (4cyl.) + Diesel	78-84	61280004	61280011*	47163	
Golf I Convertible	(155) 1.8-1.8i (4cyl.)	80-93	61280004	61280011*	47163	
Golf II 2WD	(19E) 1.6-2.0 (4cyl.) + Diesel	85-92	61280001	61280008*	47168	

SPORT SUSPENSION KITS





Application	Engine/Model	Year	ST PRO ALIGN						Footnotes
			Front Camber			Rear Camber			
			Part #	Type	Degrees	Part #	Type	Degrees	
Mitsubishi Continued									
Eclipse Spyder	2.0+2.4 (4cyl.)	96-99	57434	Balljoint p.wheel	+/-1.5°				
Lancer	2.0 (4cyl.)	02-07	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Evolution 8.0	2.0 (4cyl.)	03-07	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Galant	2.4 (4cyl.) exc.4WD	94-98	57434	Balljoint p.wheel	+/-1.5°				
Nissan									
200SX	1.6+2.0 (4cyl.)	95-98	57420	12mm Strut/spindle bolt pair	+/-1.75°				
240SX (B13)	2.4 (4cyl.)	89-94	57420	12mm Strut/spindle bolt pair	+/-1.75°				
240SX (B14)	2.4 (4cyl.)	95-98	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Altima	2.4 (4cyl.)	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Altima	2.4 (4cyl.)	98-01	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Altima	2.4(4cyl)+3.5(V6)	02-06	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Maxima	3.0 (V6)	89-94	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Maxima	3.0 (V6)	95-99	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Maxima	3.0+3.5 (V6)	00-03	57422	14mm Strut/spindle bolt pair	+/-1.75°				
NX	1.6+2.0 (4cyl.)	91-93	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Sentra 2dr./4dr.	1.6+1.7 (4cyl.)	85-90	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Sentra 2dr./4dr.	1.6+2.0 (4cyl.)	91-94	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Sentra	1.6+2.0 (4cyl.)	95-99	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Plymouth									
Laser	1.8+2.0 (4cyl.) FWD	89-94	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Laser	2.0(4cyl.) AWD	89-94	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Pontiac									
Grand Prix	3.1+3.8 (V6)	97-03	57422	14mm Strut/spindle bolt pair	+/-1.75°	57422	14mm Strut/spindle bolt pair	+/-1.75°	
Sunfire (exc. convertible)	2.2-2.4 (4cyl.)	95-04	57422	14mm Strut/spindle bolt pair	+/-1.75°				
SAAB									
9.3 Sedan	2.0+2.3 (4cyl.) +2.8(V6)	02+	57420	12mm Strut/spindle bolt pair	+/-1.75°				
9.5 Sedan	2.3(4cyl)+3.0(V6)	99-09	57420	12mm Strut/spindle bolt pair	+/-1.75°				
9.5 Wagon	2.3(4cyl)+3.0(V6)	99-09	57420	12mm Strut/spindle bolt pair	+/-1.75°				
Saturn									
Ion	2.0-2.4 (4cyl.)	03-07	57420	12mm Strut/spindle bolt pair	+/-1.75°				
S-Series Incl. Wagon	1.9 (4cyl.)	92-02	57422	14mm Strut/spindle bolt pair	+/-1.75°	57422	14mm Strut/spindle bolt pair	+/-1.75°	
Scion									
XA, XB	1.5 (4cyl.)	04-06	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Subaru									
Impreza	1.8-2.5 (4cyl.)	93-00	57422	14mm Strut/spindle bolt pair	+/-1.75°	57422	14mm Strut/spindle bolt pair	+/-1.75°	
Impreza Incl WRX	2.0-2.5 (4cyl.)	02-07	57422	14mm Strut/spindle bolt pair	+/-1.75°	57422	14mm Strut/spindle bolt pair	+/-1.75°	
WRX-STi	2.5 (4cyl.)	2004	57422	14mm Strut/spindle bolt pair	+/-1.75°	57422	14mm Strut/spindle bolt pair	+/-1.75°	
Impreza WRX	2.5 (4cyl.)	08+	57422	14mm Strut/spindle bolt pair	+/-1.75°				
Legacy	2.2-2.5 (4cyl.)	89-98	57422	14mm Strut/spindle bolt pair	+/-1.75°	57422	14mm Strut/spindle bolt pair	+/-1.75°	
Suzuki									
Reno	2.0 (4cyl.)	04-08	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
Toyota									
Corolla 2dr. FWD exc. FX Model	1.6 (4cyl.)	89-91				57420	12mm Strut/spindle bolt pair	+/-1.75°	
Corolla	1.6+1.8 (4cyl.)	93-97				57420	12mm Strut/spindle bolt pair	+/-1.75°	
Echo	1.5 (4cyl.)	00-05	57422	14mm Strut/spindle bolt pair	+/-1.75°				
MR-2	1.6 (4cyl.)	85-89	57420	12mm Strut/spindle bolt pair	+/-1.75°	57420	12mm Strut/spindle bolt pair	+/-1.75°	
MR-2	2.0+2.2 (4cyl.)	91-95	57420	12mm Strut/spindle bolt pair	+/-1.75°				

Application	Engine/Model	Year	SPORT SHOCKS			Footnotes
			Front	Rear	Set	
			Part #	Part #	Part #	
Volkswagen Continued						
Golf II 2WD	(1H001H) 2.0 (4cyl.)	93-95	61280045	61280006*	47187	
Golf II 2WD	(1H001H) 2.0 (4cyl.)	95-97	61280001	61280006*	47168	
Golf III 2WD	(1H001H) GTV16VVR6	192-95	61280002	61280006*	47166	
Golf III 2WD	(1H001H) GTV16VVR6	95-98	61280002	61280006*	47166	
Golf III Convertible	(1EXQ1E) 1.8-2.0i	94-95	61280001	61280006*	47168	
Golf III Convertible	(1EXQ1E) 1.8-2.0i	95-02	61280001	61280006*	47168	
Golf IV	(1J) 1.8-2.0 (4cyl.)	96-05	61210029	61210028	47160	
Golf IV	(1J) 1.9 Diesel	96-05	61210029	61210028	47160	
Golf V GTI Incl. DBG	2.0T	06-09			71	
Golf VI	2.5 (5cyl.)	09+				
Golf VI	2.0 TDI	09+			71	
Golf VI GTI	2.0T	09+			71	
Jetta						
Jetta I	(1T,17Ck) 1.6-1.8 + Diesel	80-84	61280004	61280011*	47183	
Jetta II	(18E) 1.6-2.0 + Diesel	85-92	61280001	61280006*	47168	
Jetta III	(1H001H) 1.6-2.0 + 1.8D	93-95	61280045	61280006*	47187	
Jetta III	(1H001H) GTV16VVR6	93-95	61280002	61280006*	47166	
Jetta III	(1H001H) 1.6-2.0 + 1.8D	95-98	61280001	61280006*	47168	
Jetta III	(1H001H) GTV16VVR6	95-98	61280002	61280006*	47166	
Jetta IV Sedan	(1J) 1.8-2.0 (4cyl.)	99-04	61210029	61210028	47160	
Jetta IV Sedan	(1J) 1.8 (V6)+1.9 Diesel	99-04	61210029	61210028	47160	
Jetta IV Wagon	(1J) 1.4-1.8 (4cyl.)	01-04	61210029	61210028	47160	
Jetta IV Wagon	(1J) 1.8 (V6)+1.9 Diesel	01-04	61210029	61210028	47160	
New Beetle						
New Beetle	(9C) 1.8-2.0 (4cyl.)	98+	61210029	61210028	47160	57
New Beetle	(9C) 2.5(5cyl.)+1.9TDI	98+	61210029	61210028	47160	57
New Beetle Convertible						
New Beetle Convertible	(1Y) 1.8-2.0 (4cyl.)	03+	61210029	61210028	47160	57
New Beetle Convertible	(1Y) 2.5(5cyl.) + 1.9TDI	03+	61210029	61210028	47160	57
Passat						
Passat (30-B3) Sedan	2.0 (4cyl.)	90-92	61280001	61280006*	47175	4,151
Passat (30-B3) Sedan	V6	90-92	61280047	61280006*	47184	4,152
Passat (30-B3) Sedan	V6	90-92	61280002	61280006*	47166	4,24
Passat (30-B3) Wagon	2.0 (4cyl.)	90-92	61280001	61280006*	47175	4,151
Passat (30-B3) Wagon	V6	90-92	61280047	61280006*	47184	4,152
Passat (30-B3) Wagon	V6	90-92	61280002	61280006*	47166	4,24
Passat (30-B4) Sedan	1.9+2.0 (4cyl.)	93-97	61280001	61280006*	47163	4,151
Passat (30-B4) Sedan	1.8TDI	93-97	61280001	61280006*	47163	4,151
Passat (30-B4) Sedan	1.8TDI	93-97	61280047	61280006*	47184	4,152
Passat (30-B4) Sedan	V6	93-97	61280002	61280006*	47166	4,24
Passat (30-B4) Sedan	V6	93-97	61280047	61280006*	47184	4,152
Passat (30-B4) Wagon	1.9+2.0 (4cyl.)	93-97	61280001	61280006*	47163	4,151
Passat (30-B4) Wagon	1.8TDI	93-97	61280001	61280006*	47163	4,151
Passat (30-B4) Wagon	1.8TDI	93-97	61280047	61280006*	47184	4,152
Passat (30-B4) Wagon	V6	93-97	61280002	61280006*	47166	4,24
Passat (30-B4) Wagon	V6	93-97	61280047	61280006*	47184	4,152
Passat (30-B5) Sedan	1.8 (4cyl.)	95-00	61210002	61280017	47006	4
Passat (30-B5) Sedan	2.8 (V6)+1.9TDI	95-00	61210002	61280017	47006	4
Passat (30-B5) Wagon	1.8 (4cyl.)	95-00	61210002	61280017	47006	4
Passat (30-B5) Wagon	2.8 (V6)+1.9TDI	95-00	61210002	61280017	47006	4
Passat (30-B5) Sedan	1.8 (4cyl.)	01-05	61280058	61280017	47170	4
Passat (30-B5) Sedan	2.8 (V6)+1.9TDI	01-05	61280058	61280017	47170	4
Passat (30-B5) Wagon	1.8 (4cyl.)	01-05	61280058	61280017	47170	4
Passat (30-B5) Wagon	2.8 (V6)+2.0TDI	01-05	61280058	61280017	47170	4
Scion						
Scion	(17, 17CK) 1.7-1.8 (4cyl.)	82-88	61280004	61280011*	47183	
Volvo						
570	2.3+2.5Turbo (5cyl.)	95-00	61967001	61967002	47200	

SPORT SUSPENSION KITS





Application	Engine/Model	Year	ST PRO ALIGN						Footnotes
			Front Camber			Rear Camber			
			Part #	Type	Degrees	Part #	Type	Degrees	
Volkswagen									
Corrado	1.8 (4cyl.)	90-94	57420	12mm Strut/spindle bolt pair	+/-1.75"				
	(53) 2.9VR6	90-94	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf I	(17,17CK) 1.5-1.8 (4cyl.) + Diesel	78-84	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf I Convertible	(155) 1.6-1.8i (4cyl.)	80-93	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf II 2WD	(19E) 1.6-2.0 (4cyl.) + Diesel	85-92	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf II 2WD	(HX0/H1H) 2.0 (4cyl.)	93-95	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf III 2WD	(HX0/H1H) 2.0 (4cyl.)	89-97	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf III 2WD	(HX0/H1H) GT/16VVR6	1/92-9/95	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf III 2WD	(HX0/H1H) GT/16VVR6	8/95-98	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf III Convertible	(1EX0/H1E) 1.8i-2.0i	84-8/95	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Golf III Convertible	(1EX0/H1E) 1.8i-2.0i	8/95-02	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Jetta I	(17,17CK) 1.6-1.8 + Diesel	80-84	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Jetta II	(19E) 1.8-2.0 + Diesel	85-92	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Jetta II	(HX0/H1H) 1.8-2.0 + 1.80	93-9/95	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Jetta II	(HX0/H1H) GT/16VVR6	93-9/95	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Jetta III	(HX0/H1H) 1.6-2.0 + 1.80	8/95-98	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Jetta III	(HX0/H1H) GT/16VVR6	8/95-98	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Passat (35i-83) Sedan	2.0 (4cyl.)	90-92	57420	12mm Strut/spindle bolt pair	+/-1.75"				
	VR6	90-92	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Passat (35i-83) Wagon	2.0 (4cyl.)	90-92	57420	12mm Strut/spindle bolt pair	+/-1.75"				
	VR6	90-92	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Passat (35i-84) Sedan	1.9+2.0 (4cyl.)	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75"				
	1.8TDI	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75"				
	VR6	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Passat (35i-84) Wagon	1.9+2.0 (4cyl.)	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75"				
	1.8TDI	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75"				
	VR6	93-97	57420	12mm Strut/spindle bolt pair	+/-1.75"				
Volvo									
C70 Coupe, Convertible	(N) 2.3i-2.5Turbo	96-06	57420	12mm Strut/spindle bolt pair	+/-1.75"				
S40	(V) 1.9 (4cyl.)	00-03	57420	12mm Strut/spindle bolt pair	+/-1.75"				
S60	(R) 2.3-2.5Turbo	01-09	57422	14mm Strut/spindle bolt pair	+/-1.75"				
S70	2.3+2.5Turbo (4cyl.)	98-00	57422	14mm Strut/spindle bolt pair	+/-1.75"				
S80	(T) 2.5(4cyl./H+2.8+2.8(4cyl.)	99-06	57422	14mm Strut/spindle bolt pair	+/-1.75"				
V40 Wagon	(V) 1.9 (4cyl.)	00-04	57420	12mm Strut/spindle bolt pair	+/-1.75"				
V70 Wagon	(B) 2.4i - 2.3-2.5Turbo	01-07	57422	14mm Strut/spindle bolt pair	+/-1.75"				

Application	Engine/Model	Year	ST TOE-ADJUST RACING			ST COMPETITION REAR ANTI-SWAYBARS		Footnotes
			Rear Toe Adjustment			Rear Swaybar		
			Part #	Type	Degrees	Part #	Bar diam.	
Acura								
Integra 2dr / 4dr	1.7+1.8 (4cyl.)	90-93	57400	Toe Adjuster per axle	+/-0.75"			
	1.8 (4cyl.)	94-01	57400	Toe Adjuster per axle	+/-0.75"	53148	7/8" / 22mm	excl. type R
Integra Type R	1.8 (4cyl.)	97-98	57400	Toe Adjuster per axle	+/-0.75"	53152	7/8" / 22mm	
Integra Type R	1.8 (4cyl.)	00-01	57400	Toe Adjuster per axle	+/-0.75"	53152	7/8" / 22mm	
Honda								
Civic/CRX	1.5+1.8 (4cyl.)	88-91	57400	Toe Adjuster per axle	+/-0.75"			
Civic Coupe, Sedan	with orig. front bar 1.5-1.8(4cyl.)	92-95	57400	Toe Adjuster per axle	+/-0.75"	53149	7/8" / 22mm	Equipped with original control Arms
	without orig. fr.bar 1.5-1.8(4cyl.)	92-95	57400	Toe Adjuster per axle	+/-0.75"	53149	7/8" / 22mm	Equipped with original control Arms
Civic Coupe, Sedan	with orig. front bar 1.6(4cyl.)	96-00	57400	Toe Adjuster per axle	+/-0.75"	53151	7/8" / 22mm	
	without orig. fr.bar 1.6(4cyl.)	96-00	57400	Toe Adjuster per axle	+/-0.75"	53151	7/8" / 22mm	
Del Sol	with orig. front bar 1.5-1.8(4cyl.)	93-97	57400	Toe Adjuster per axle	+/-0.75"			
	without orig. fr. bar 1.5-1.8(4cyl.)	93-97	57400	Toe Adjuster per axle	+/-0.75"			

ST Competition Rear Anti-Swaybar Kit includes adjustable lower tie brace, adjustable end-links and the complete hardware kit.

Application	Year	HEAVY DUTY SPRING STOCK HEIGHT		SPORT SPRING 1" LOWERED HEIGHT		ANTI-SWAY BARS			Footnotes	
		Front Pair		Front Pair		Front				
		Part #	Part #	Part #	Part #	Part #	Bar diam.	Part #		Bar diam.
General Motors										
Apollo	73-75	68545	68700	68120	68702					(0) (4) (5)
Camaro, Firebird	67-69	68503	68700	68507	68702	50960	1 1/4"	51045	7/8"	52035 (0) (1) (2) (5)
Camaro, Firebird	70-81	68530	68700	68532	68702	50250	1 1/4"	51045	7/8"	52069 (0) (5)
Camaro, Firebird (excl. Z-28)	82-92	68532	68307	68105	68305	50975	1 3/8"	51055	1"	52075 (3) (5)
Camaro Z-28	82-92	68514				50975	1 3/8"	51055	1"	52075 (3) (5)
Chevelle, Malibu	64-68	68510	68725	68512	68730	50970	1 1/8"	51050	1 1/8"	52079 (4) (5)
Chevelle, Malibu, Skyhawk (excl. Gran Sport)	1967	68510	68810	68512	68310	50970	1 1/8"	51050	1 1/8"	52079 (4) (5)
Chevelle, Malibu, Skyhawk (excl. Gran Sport)	68-72	68535	68810	68115	68310	50965	1 1/4"	51050	1 1/8"	52065 (4) (5)
Cutlass (excl. 442)	66-70	68535		68115		50965	1 1/4"	51050	1 1/8"	52065 (4) (5)
El Camino	64-68	68510	68725	68512	68730	50970	1 1/8"	51050	1 1/8"	52079 (4) (5)
El Camino	1967	68510	68735	68512	68740	50970	1 1/8"	51050	1 1/8"	52079 (4) (5)
El Camino	68-72	68535	68735	68115	68740	50965	1 1/4"	51050	1 1/8"	52065 (4) (5)
El Camino	73-77	68545	68735	68120	68740	50965	1 1/4"			(4) (5)
El Camino	78-88	68532	68810	68105	68310	50245	1 3/8"	51235	1"	52245 (4) (5)
Grand National, T-Type	83-87	68105	68810			50245		51235		52245 (4) (5)
Malibu, Monte Carlo, (excl. Diesel)	78-88	68532	68810	68105	68310	50245	1 3/8"	51235	1"	52245 (4) (5)
Malibu, Monte Carlo, Regal, Laguna, Tempest, Lemans	73-77	68545	68325	68120	68320	50965	1 1/4"			(4) (5)
Monte Carlo	71-72	68535	68810	68115	68310	50965	1 1/4"	51050	1 1/8"	52065 (4) (5)
Nova, Omega, Ventura	68-74	68505	68700	68507	68702	50960	1 1/4"	51045	7/8"	52055 (0) (4) (5)
Nova, Ventura, Phoenix	75-79	68530	68700	68532	68702	50250	1 1/4"	51045	7/8"	52035 (0) (4) (5)
Regal (excl. Diesel)	78-87	68532	68810	68105	68310	50245	1 3/8"	51235	1"	52245 (4) (5)
Regal (excl. Diesel)	1968	68532		68105		50245	1 3/8"	51235	1"	52245 (4) (5)
Skyhawk	75-79	68545	68700	68120	68702					(0) (4) (5)
Ford/Mercury										
Cougar 2-Dr. (excl. GT)	67-68	68500	68820	68502	68822	50940	1 1/8"	51035	3/4"	52035 (0) (5)
Cougar (GT only)	67-68	68500	68820	68502	68822	50940	1 1/8"	51035	3/4"	52035 (0) (5)
Cougar all	1969	68500	68840	68502	68842	50940	1 1/8"	51035	3/4"	52035 (0) (5)
Cougar all	1970	68540	68950	68542	68952	50940	1 1/8"	51035	3/4"	52035 (0) (5)
Cougar all	71-73	68540		68542		50945	1 1/8"	51035	3/4"	52040 (5)
Mustang	1964					50935	1 1/8"	51035	3/4"	52030 (5)
Mustang	65-66	68500	68800	68502	68802	50935	1 1/8"	51035	3/4"	52030 (0) (5)
Mustang	67-70	68540	68810	68542	68812	50940	1 1/8"	51035	3/4"	52035 (0) (5)
Mustang	71-73	68540	68810	68542	68812	50945	1 1/8"	51035	3/4"	52040 (0) (5)
Mustang (6 Capri thru '89)	79-93	68520	68720	68108	68200	50950	1 3/8"	51040	15/16"	52045 (4) (5)

PIVOT BUSHINGS AND BRACKETS (Kit Includes 3 Bushings And 3 Brackets)						END LINK ASSEMBLIES (Kit Includes 3 Complete Links)			
Anti-Swaybar	Diameter	Material	Mounting Bolt Spacing from Center to Center on Bracket		Length from mount to mount inches	Part #			
	INCH.	DEC.	Metric.	2.0"-2.9"	2.8"-3.0"	3.8"-4.0"			
7/16	0.438	11.1mm	59600	59650	NA	2"	55105		
1/2	0.500	12.7mm	59605	59655	NA	2.5"	55110		
9/16	0.562	14.3mm	59610	59660	NA	3"	55120		
5/8	0.625	15.9mm	59615	59665	NA	4"	55125		
11/16	0.688	17.5mm	59620	59670	NA	5"	55135		
3/4	0.750	19.0mm	59625	59675	NA	5.5"	55140		
13/16	0.812	20.6mm	59630	59680	NA	6"	55145		
7/8	0.875	22.2mm	59635	59685	NA		End Link Gremlins Urethane		
15/16	0.938	23.8mm	59640	59690	NA		5 piece set		
1	1.000	25.4mm	59645	59695	NA		55160		
1-1/16	1.062	27.0mm	NA	59700	59725	Urethane Bump Stops			
1-1/8	1.125	28.6mm	NA	59705	59730	3/4" (2pck.)			
1-3/16	1.188	30.2mm	NA	NA	59735	1 1/2" (2pck.)			
1-1/4	1.250	31.8mm	NA	NA	59740	55000			
1-5/16	1.312	33.3mm	NA	NA	59745	55005			
1-3/8	1.375	34.9mm	NA	NA	59750				

ST FOOTNOTES

1	These specific springs set, can only be used with the shortened shock absorbers. We highly recommend using ST sport shock absorbers. Please see the application list for the front and rear shock absorbers information.
2	Models not applicable: Estate-Avant-Turnier-Variant-T-model (wagons)
3	Excluding all models with 4 wheel steering
4	Excluding all models with 4 wheel drive
5	Use only the sport springs in combination with the M-tech. Lowering height will be 20mm less than listed.
6	All vehicles equipped with the EDC system (electronic damper control) are NOT APPLICABLE
6a	Excluding all models with the EDC system, please use our spring sets
7	Excluding all models with the High Ground System
8	Excluding all models equipped with 16V/20V/24V engines.
8a	Complete suspension kits are not available for vehicles equipped with the 16V/20V/24V engines.
9	Spring kit contains 2 front springs only
10	Lowering will be less than the lowering for the GTI and GSI models
11	Excludes models with the automatic level control and/or the automatic level system that can be adjusted in accordance.
11a	Complete suspension kits exclude models with automatic level control.
12	After lowering is complete the car's ride height level at the rear axle has to be adjusted.
13	The kit includes adjustable shock absorbers at the front and rear axle.
14	For all vehicles with the series sports suspension, please use our complete suspension kit only.
15	For all vehicles with chassis number 31P026436 and higher, please use the original spring plates part no. 1H0412341
16	This excludes all vehicles with the series sports suspension.
16a	Complete suspension kits are not available for vehicles with series sports suspension.
17	In cases of complete suspension systems: if there is no anti-rol bar attached to the original shock absorbers, the brake hose brackets with part no. 6638664 and 6638964 must also be fitted.
18	Spring kit includes only 2 rear springs.
19	This excludes all Vtec models
20	Very low ride height kit. It is recommended that the kit be installed by specialist, with attention being paid to wheel arch clearance is minimal. Ground clearance is minimal.
21	This is not for vehicles equipped with gas powered engine.
24	These can only be supplied for as long as stock last.
24a	Complete suspension kits can only be supplied for as long as stock last.
28	Only for models up to chassis number 8D*X 160699
29	Only for models over chassis number 8D*X 200000
30	The quoted lowering height can vary due to different original rubber spring seats. Maximum lowering heights can be adjusted.
31	Listed lowering heights can vary up to +/- 20mm(1"), due to different model weights.
32	The VR6 model only without air conditioning
34	Front shock absorber without fixing for anti rol bar
35	the listed lowering height is the complete lowering height. The original lowering is not considered.
36	Some models may need an additional two(2) spring plates. Please order when needed. The inner diameter at the top of this spring is 81mm/3.19"
40	Only height adjustable on the front axle. Lowering springs and dampers on the rear axle.
42	In combination with the original wheel and tires, wheel spacers might need to be used.
43	In some cases 2 additional spring plates (VW part number 357 412 341 A) will be needed for these vehicles for the front axle.
44	Only for models with 45mm strut diameter outside (Can also be measured when fitted on the vehicle).
45	Only for models with 51mm strut diameter outside (Can also be measured when fitted on the vehicle).
46	Special kit for vehicles with automatic level control
47	Only for cars with removable strut inserts.
48	Only for vehicles up to chassis number 900 067
49	Height adjustment at the rear axle over special bushes
50	Conical front springs
51	Cylindrical front springs
52	Excluding Cabrio/Convertible
54	Excluding "full options" models
55	Only "full options" models
56	Excluding vehicles with Diesel engines.
57	Excluding automatic gear box
59	Only for models with series sports suspension
61	Only for vehicles with chassis number over 8020 068
62	Only for models with chassis number up to -N199999, -N1999999, -N599999
63	Only for models with chassis number up to P1000001, P5000001, P7000001
66	Excluding models with pneumatic suspension
68	Excluding models with rough road package
67	Excluding models with Air conditioning
68	Excluding models with ABS
69	Only for models with automatic gear box
70	It is recommended to check the difference in gaps between the fender and wheel. Because of variations it often seems that the actual lowering height is not like what stated.
71	Only for cars with clamp diameter of 54.6mm on the front axle
74	Only for cars with a clamp diameter of 49.8mm on the front axle
73	rear shock absorbers with eye mounting.
74	Excluding S1XR2XR3XR4 models
75	Only for models with chassis number from 5000001 up to S100001
77	rear shock absorbers with fork mounting.
78	Only for models with chassis number from S100001 onwards.
79	Excluding models with Esprit- or Advantigarde package or series sports suspension.
80	Only for 2 and 3 door versions.
81	Only for 4 and 5 door versions.
82	Only for 5 door version.
83	Only for models with Esprit- or Advantigarde package or series sports suspension.
84	Only for models with ABS
85	Excluding turbo charged petrol engines
86	Only for models with 2 torsion bars at the rear axle.
87	Only for models with 4 torsion bars at the rear axle.
90	At the day this was printed, this kit was in development. Please check with us.
91	Only for models with a right hand drive shaft of 32mm or 42mm diameter. Models with a 50mm drive shaft should mount a special anti rol bar endlink.
92	Front axle spacers only for cars with 47mm damping tube diameter
93	Only for models from chassis number 1003027, 5000001, 6000001-on.
94	Front axle spacers only for cars with 51mm damping tube diameter

ST FOOTNOTES

96	mounting of these extremely low kits might result in very minimal spring travel. The use of stock shock absorbers which are not designed for this, will cause uncontrollable handling problems and might even result in mechanical failure.
97	Excluding G40 models.
98	Only for models with complete struts. For VW these struts can be used for all types including the models with removable inserts.
99	Please note, the reduction in lowering rate will be reduced for models with the original sports suspension.
111	Fender edges may need to be modified for certain wheel/tire combinations.
112	Because of the design of this specific car, the damping adjustment can only be made when the damper is not mounted. By modifying the interior trim, this problem can be avoided.
113	These springs/suspension units are supplied with general type approval.
114	The kit includes aour special endlinks.
121	Extreme lowering heights might cause major disruption of the drive shaft ant the anti rol bar and/or chassis.
131	For models with ABS, the ABS cable needs to be mounted separately.
139	Only for vehicles up to 2.5 Diesel or turbo engines.
151	Only for vehicles with a short front axle suspension leg housing, distance from center of attachment hole to the top of the housing, 310-320mm
152	Only for vehicles with a long front axle suspension leg housing, distance from center of attachment hole to the top of the housing, 340-350mm
153	When lowering the height, it is possible that the lower seat on the strut touches the inside of the wheel arch. This can be solved by modifying the shape of the wheel arch.
165	Not for vehicles with power steering
166	Only for vehicles with ESP system
167	Only for vehicles with air conditioning and/or 24V engine
158	Only for vehicles with power steering.
169	Only for vehicles with air conditioning and/or automatic gear box.
164	Rear axle shock absorbers are not adjustable in damping. Sport shock absorbers with a harder damping characteristic will be supplied.
170	Only for all wheel drive models.
171	Fits from model 86-04
172	only fits with rear lower fork mounts.
173	Models do not have factory rear sway bars, factory end links must be purchased
174	Part# only on limited quantity available.
184	Additional front axle assembly parts for vehicles with EDC are required from the automobile manufacturer. Front: (BMW Part#:dome bearings 31331091700+ washer 31331116683+ collar 3133110196) rear: dome bearings
185	For the rear axle sport shock absorbers will be supplied, the factory air spring will maintain. Lowering of the vehicle needs to be done according to the instructions
189	All vehicles equipped with electronic damping, the electronic damping control needs to be deactivated. Deactivation kit KW Part.No. 68510144
192	All vehicles equipped with electronic damping, the electronic damping control needs to be deactivated. Deactivation kit KW Part.No. 68510145
A	Sport spring set includes 2 rear coils only. Lowering the front requires adjusting the torsion bars.
B	Suspension Technicians use front spring bar in conjunction with original equipment front anti sway bar. (for simplified installation)
C	Anti sway bars do not fit vehicles with front drum brakes or original equipment rear traction bars.
D	Order anti sway bar adapter kit# 55310 for vehicles NOT equipped with OE rear sway bar.
E	Spring set contains 2 rear coils only.
F	Adjustable anti sway bar.
FF	Adjustable anti sway bar at the front axle.
FS	Adjustable anti sway bar at the rear axle.
G	For vehicles without hydro adjust rear suspension. Hydro equipped vehicles (MS, M6, 99 G35, etc.) use 60070 Spring set. (See BMW MS&M listing).
H	Order anti sway bar adapter kit# 55320 when installing anti sway bar #52155 or #51140 on '88 model vehicles
I	Rear anti sway bar will not fit with boxed control arms.
J	Must use stepped rear spring perch for rear coil spring.
L	Spring kit includes 2 urethane bump stops.
M	Order anti sway bar adapter kit #55360 for Si model
N	Order sway bar adapter kit #55300 for non Lsi models.
P	Coil springs fit all except Shelby models.
R	Anti sway bar only fits vehicles with original equipment anti sway bar.
S	Order anti sway bar adapter kit #55335 for vehicles NOT equipped with original equipment rear anti sway bar.
T	Coil springs do not fit 2+2 model
U	Order anti sway bar adapter kit #55335 for vehicles NOT equipped with original equipment rear anti sway bar.
V	Equipped with original control arms.
W	Order anti sway bar adapter kit #55325 for vehicles NOT equipped with original equipment front anti sway bar.
X	Order anti sway bar adapter kit #55330 for vehicles NOT equipped with original equipment front anti sway bar.
Y	Coil Springs fit all except convertible models.
Z	Anti sway bars does not fit vehicles with 4 wheel steering.
AA	Rear anti sway bar #51004 and #51006 only fits vehicles equipped with original rear anti sway bar.
BB	Order anti sway bar adapter kit #55365 for vehicles NOT equipped with OE rear anti sway bar.
CC	V6 applications must use factory bolt part number W704938-S426 (Qty 4) to mount sway bar and links.
DD	Fits only at 4cyl. Models

MUSCLE CAR FOOTNOTES

(1)	Leaf Springs sold individually. Order 2 of each part number for a complete set.
(2)	Rear spring does not fit vehicles with factory rear mono-coil springs.
(3)	Anti-swaybars do not fit vehicles with front drum brakes or original equipment rear traction bars.
(4)	Order rear anti-swaybar adapter kit #55310 for vehicles NOT originally equipped with rear anti-swaybar
(5)	Rear anti-swaybar will not fit with boxed control arms
(6)	All applications are for V6 small block rear wheel drive only - except for Grand National which is a V6

PRO ALIGN FOOTNOTES

A1	Some vehicles may need longer bolts when installing this arm.
A2	Strut bolts have to be measured before ordered. 02 year has 14mm and 02-07 has 16mm bolts.
A4	2dr. Model only
A5	Rear application fits only on vehicles with 17" rims or larger
A6	Use 73010 (SPC) bush to cushionize hole with the front clamber kit
A7	Passenger and driver side different
A8	Part # 57442 only on limited quantity available.

N/A = Not Available
OEMA = Original Equipment Manufacturer Adjustment

TERMS AND CONDITIONS

Effective January 1, 2011 Supersedes all previous terms, policies, and agreements.

KW automotive North America Inc. warrants its products to the original retail purchaser against defects in workmanship and material for the following terms from the date of purchase:

- ST Suspensions
- Springs, Shocks, Swaybars - 2 Years • Bushings, Bump stops and Ball Joints - 1 Year • Coilovers - 5 Years

CONDITIONS & LIMITATIONS

This warranty is NOT TRANSFERRABLE, is limited to the United States and its holdings, Canada and Mexico. This warrantee does not apply to:

- Any articles not purchased through authorized KW automotive North America Inc. dealers.
- Any articles that show signs of abuse, collision or improper installation.
- Any parts that are installed in vehicles that are used for race purposes, operated commercially, or used in off road conditions.
- Any parts that have been sold with "No Warranty" designation on the original invoice.
- Any parts that have been modified or altered in any way from its original configuration.
- Any parts that have been:
 - Installed improperly.
 - Used out of its published operating range or outside tested force ranges, i.e.
 - Excessively lowered or raised vehicles.
- Used in conjunction with non Non-KW automotive North America Inc. approved Air Bag kits, sway bars, springs, control arms etc...

CLAIM OBLIGATIONS

KW automotive North America Inc.'s obligation is limited to repair or replacement of the defective KW automotive Inc. component only.

Warranty acceptance along with the corresponding replacement or repair of the KW automotive component is at the discretion of KW automotive North America Inc. engineering staff. KW automotive North America Inc. is not responsible for any costs associated with the removal, replacement or shipping of the defective part, and under no circumstances will be liable for any costs or consequential damages that may be incurred.

KW automotive North America Inc. is a progressive company that is continuously improving its product line. As such KW automotive North America Inc. reserves the right to improve any and all of our products in materials or design without obligation to incorporate these changes in previously manufactured products.

CONSUMER CLAIM PROCEDURES

In the interest of 100% Customer Satisfaction, we would request that before a warrantee claim is submitted, please contact the KW automotive Tech & Customer Service department to accurately diagnose the problem. This will ensure quick handling and resolution of your issue.

To process a valid warranty claim, contact the original place of purchase of your KW automotive North America Inc. part along with the original receipt for a determination of claim. If the product cannot be returned to the original place of purchase, please call KW automotive North America Inc. by phone to request a Return Material Authorization number or RMA# and a tech sheet (if applicable).

Send the defective unit shipping prepaid along with the following documents:

- Return Material Authorization number or RMA#
- A copy of the completed brand specific tech sheet
- A copy of your original invoice
- Copy of the Vehicle's Registration certificate

IMPORTANT: Please clearly mark the package with the assigned RMA# for quick handling. KW will refuse unmarked shipments, or any shipments that are not prepaid. Once received, KW automotive North America Inc will verify warranty coverage and will repair or replace the unit at our discretion, and shipped back to you UPS Collect.

NON-WARRANTY ELIGIBLE GOODS - END USER

If a part is returned for warrantee and is found to be not eligible for warrantee, the customer will be given the following options:

- A quote to repair or replace the goods will be presented. If accepted the goods will be sent back on the customer by their preferred method of shipping, or UPS Collect.
- The goods will be disposed of at the customers expense (if any)

CONTACT INFORMATION:
KW automotive North America, Inc.
1075 North Ave,
Sanger CA 93657
Tel: +1 559.875.0222
Fax: +1 559.876.2259



TESTED.

Every ST component undergoes rigorous and complex durability and fatigue testing to ensure maximum strength, efficiency and performance.



TUNED.

Our advanced drive dynamics facility provides ST engineers with the knowledge and data to achieve optimal suspension tuning across a broad range of vehicle applications.

TRUSTED.

A trusted name both on and off the track, ST is innovation and performance that can only be experienced. Exceptional design that demonstrate the correctness of detail with unrivalled strength and precision.



brands of KW automotive North America, Inc. — www.KWautomotive.com —



ST SUSPENSIONS • a brand of KW automotive North America, Inc.

1075 North Avenue • Sanger, California 93657

Toll Free: 800.455.3767 • Phone: 559.875.0222

Fax: 559.876.2259 • Email: info@stsusensions.com